

## 完整参考文献

- 布鲁斯. 1996. 遗传学数据分析—群体遗传学离散型数据分析方法 [M]. 徐云碧, 译. 北京: 中国农业出版社.
- 陈铭. 2018. 生物信息学 (第三版) [M]. 北京: 科学出版社.
- 樊龙江. 2020. 植物基因组学 [M]. 北京: 科学出版社.
- 冯端, 冯步云. 1992. 熵 [M]. 北京: 科学出版社.
- 高峰, 李海鹏. 2016. 群体遗传学模拟软件应用现状 [J]. 遗传, 38 (8): 707-717.
- 郝柏林. 2015. 来自基因组的一些数学 [M]. 上海: 上海科技教育出版社.
- 金久实. 2002. 后基因组信息学 [M]. 孙之荣等, 译. 北京: 清华大学出版社.
- 坎贝尔, 海尔. 2004. 探索: 基因组学、蛋白质组学和生物信息学 [M]. 孙之荣, 译. 北京: 科学出版社.
- 李霞, 雷建波. 2015. 生物信息学 (第二版) [M]. 北京: 人民卫生出版社.
- 林标扬. 2012. 系统生物学 [M]. 杭州: 浙江大学出版社.
- 刘军. 2009. 科学计算中的蒙特卡罗策略 [M]. 唐年胜, 周勇, 徐亮, 译. 北京: 高等教育出版社.
- 卢德米拉·波洛克. 2020. 基因组组谱: 国际基因组学界其人其事 [M]. 杨焕明, 译. 北京: 科学出版社.
- 吕红强, 郝乐乐, 刘二虎, 等. 2020. 基于生物信息学的 Hi-C 研究现状与发展趋势 [J]. 遗传, 42 (1): 87-99.
- 罗静初. 2019. UniProt 蛋白质数据库简介 [J]. 生物信息学, 17 (3): 131-144.
- 茆诗松, 汤银才. 2012. 贝叶斯统计 (第二版) [M]. 北京: 中国统计出版社.
- 内伊. 2006. 分子进化与系统发育 [M]. 吕宝忠, 译. 北京: 高等教育出版社.
- 皮埃尔, 索恩. 2003. 生物信息学—机器学习方法 [M]. 张东晖, 译. 北京: 中信出版社.
- 乔纳森. 2006. 生物信息学与功能基因组学 [M]. 孙之荣等, 译. 北京: 化学工业出版社.
- 塞图巴尔. 2003. 计算分子生物学导论 [M]. 朱浩, 译. 北京: 科学出版社.
- 施恽, 李海鹏. 2019. 群体基因组学方法: 从经典统计学到有监督学习 [J]. 中国科学: 生命科学, 49 (4): 445-455.
- 宋凯. 2010. 合成生物学导论 [M]. 北京: 科学出版社.
- 孙啸, 陆祖宏, 谢建明. 2005. 生物信息学基础 [M]. 北京: 清华大学出版社.
- 谈莲莎, 史密斯. 2002. 生物信息学概论 [M]. 罗静初, 译. 北京: 北京大学出版社.
- 王建康, 李慧慧, 张鲁燕, 等. 2014. 基因定位与育种设计 [M]. 北京: 科学出版社.
- 王向峰, 才卓. 2019. 中国种业科技创新的智能时代—“玉米育种 4.0” [J]. 玉米科学, 27 (1): 1-9.
- 王勇献, 王正华. 2010. 生物信息学导论 [M]. 北京: 清华大学出版社.
- 文特尔. 2012. 解码生命 [M]. 赵海军, 周海燕, 译. 长沙: 湖南科学技术出版社.
- 沃特曼. 2009. 计算生物学导论—图谱、序列和基因组 [M]. 黄国泰, 王天明, 译. 北京: 科学出版社.
- 许忠能. 2008. 生物信息学 [M]. 北京: 清华大学出版社.
- 杨焕明, 冯小黎, 牛力, 等. 2012. 基因组学方法 [M]. 北京: 科学出版社.
- 尹立林, 马云龙, 项韬, 等. 2019. 全基因组选择模型研究进展及展望 [J]. 畜牧兽医学报, 50 (2): 233-242.
- 翟虎渠, 王建康. 2007. 应用数量遗传 [M]. 北京: 中国农业科学技术出版社.
- 张春霆. 2009. 合成生物学研究的进展 [J]. 中国

- 科学基金, 23 (2): 65-69.
- 赵国屏. 2001. 生物信息学 [M]. 北京: 科学出版社.
- 周琦, 王文. 2004. DNA 水平自然选择作用的检测 [J]. 动物学研究, 25 (1): 73-80.
- 周志华. 2016. 机器学习 [M]. 北京: 清华大学出版社.
- Adams MD, Kelley JM, Gocayne JD, et al. 1991. Complementary DNA sequencing: expressed sequence tags and human genome project [J]. *Science*, 252 (5013): 1651-1656.
- Akdemir KC, Chin L. 2015. HiCPlotter integrates genomic data with interaction matrices [J]. *Genome Biology*, 16 (1): 198.
- Alberts B, Bray D, Lewis J, et al. 2007. *Molecular Biology of the Cell* [M]. New York: Garland Science.
- Albrechtsen A, Moltke I, Nielsen R. 2010. Natural selection and the distribution of identity-by-descent in the human genome [J]. *Genetics*, 186 (1): 295-308.
- Alkan C, Coe BP, Eichler EE. 2011. Genome structural variation discovery and genotyping [J]. *Nature Reviews Genetics*, 12 (5): 363-376.
- Altschul SF, Gish W, Miller W, et al. 1990. Basic local alignment search tool [J]. *Journal of Molecular Biology*, 215 (3): 403-410.
- Altschul SF, Madden TL, Schäffer AA, et al. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs [J]. *Nucleic Acids Research*, 25 (17): 3389-3402.
- An L, Yang T, Yang J, et al. 2019. OnTAD: hierarchical domain structure reveals the divergence of activity among TADs and boundaries [J]. *Genome Biology*, 20 (1): 282.
- Anders S, Huber W. 2010. Differential expression analysis for sequence count data [J]. *Nature Precedings*, 2: 1.
- Anthony D, Schmitt, Ming, et al. 2016. A compendium of chromatin contact maps reveals spatially active regions in the human genome [J]. *Cell Reports*, 17 (8): 2042-2059.
- Aoki S K, Lillacci G, Gupta A, et al. 2019. A universal biomolecular integral feedback controller for robust perfect adaptation [J]. *Nature*, 570 (7762): 533-537.
- Arabidopsis Genome Initiative. 2000. Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana* [J]. *Nature*, 408 (6814): 796-815.
- Artzi S, Kiezun A, Shomron N. 2008. miRNA miner: A tool for homologous microRNA gene search [J]. *BMC Bioinformatics*, 9 (1): 39.
- Audic S, Claverie JM. 1997. The significance of digital gene expression profiles [J]. *Genome Research*, 7 (10): 986-995.
- Ay F, Bailey TL, Noble WS. 2014. Statistical confidence estimation for Hi-C data reveals regulatory chromatin contacts [J]. *Genome Research*, 24 (6): 999-1011.
- Azodi CB, Bolger E, McCarren A, et al. 2019. Benchmarking parametric and machine learning models for genomic prediction of complex traits [J]. *G3: Genes, Genomes, Genetics*, 9 (11): 3691-3702.
- Bai B, Peviani A, van der Horst S, et al. 2017. Extensive translational regulation during seed germination revealed by polysomal profiling [J]. *The New Phytologist*, 214 (1): 233-244.
- Baldi P, Chauvin Y, Hunkapiller T, et al. 1994. Hidden Markov models of biological primary sequence information [J]. *Proceedings of the National Academy of Sciences*, 91 (3): 1059-1063.
- Bashor C J, Patel N, Choubey S, et al. 2019. Complex signal processing in synthetic gene circuits using cooperative regulatory assemblies [J]. *Science*, 364 (6440): 593-597.
- Baxevanis AD, Ouellette BFF. 2001. *Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins* (2nd edition) [M]. New York: John Wiley & Sons.
- Bazin J, Baerenfaller K, Gosai SJ, et al. 2017. Global analysis of ribosome-associated noncoding RNAs unveils new modes of translational regulation [J]. *Proceedings of the National Academy of Sciences*, 114 (46): 10018-10027.

- Beaulaurier J, Schadt EE, Fang G. 2019. Deciphering bacterial epigenomes using modern sequencing technologies [J]. *Nature Reviews Genetics*, 20 (3): 157-172.
- Beliveau BJ, Boettiger AN, Avendaño MS, et al. 2015. Single-molecule super-resolution imaging of chromosomes and in situ haplotype visualization using Oligopaint FISH probes [J]. *Nature Communications*, 6: 7147.
- Bellot P, de Los Campos G, Pérez-Enciso M. 2018. Can deep learning improve genomic prediction of complex human traits [J]. *Genetics*, 210 (3): 809-819.
- Benjamini Y, Hochberg Y. 1995. Controlling the false discovery rate: A practical and powerful approach to multiple testing [J]. *Journal of the Royal Statistical Society Series A-statistics in Society*, 57: 289-300.
- Betzig E, Patterson GH, Sougrat R, et al. 2006. Imaging intracellular fluorescent proteins at nanometer resolution [J]. *Science*, 313 (5793): 1642-1645.
- Bhaduri A, Nowakowski TJ, Pollen AA, et al. 2018. Identification of cell types in a mouse brain single-cell atlas using low sampling coverage [J]. *BMC Biology*, 16 (1): 113.
- Bilder RM, Sabb FW, Cannon TD, et al. 2009. Phenomics: the systematic study of phenotypes on a genome-wide scale [J]. *Neuroscience*, 164 (1): 30-42.
- Billings LK, Florez JC. 1986. The genetics of type 2 diabetes: what have we learned from GWAS [J]. *Annals of the New York Academy of Sciences*, 1212: 59-77.
- Bishop MJ, Thompson EA. 1986. Maximum likelihood alignment of DNA sequences [J]. *Journal of Molecular Biology*, 190 (2): 159-165.
- Biswas S, Akey JM. 2006. Genomic insights into positive selection [J]. *Trends in Genetics: TIG*, 22 (8): 437-446.
- Boetzer M, Henkel CV, Jansen HJ, et al. 2011. Scaffolding pre-assembled contigs using SSPACE [J]. *Bioinformatics*, 27 (4): 578, 579.
- Boetzer M, Pirovano W. 2012. Toward almost closed genomes with GapFiller [J]. *Genome Biology*, 13 (6): 56.
- Bolisetty MT, Graveley BR. 2013. Circuitous route to transcription regulation [J]. *Molecular Cell*, 51 (6): 705, 706.
- Bonev B, Cavalli G. 2016. Organization and function of the 3D genome [J]. *Nature Reviews Genetics*, 17 (11): 661-678.
- Borodovsky M, McIninch J. 1993. Genmark: parallel gene recognition for both DNA strands [J]. *Computers Chemistry*, 17: 123-133.
- Boycheva S, Daviet L, Wolfender JL, et al. 2014. The rise of operon-like gene clusters in plants [J]. *Trends in Plant Science*, 19 (7): 447-459.
- Buenrostro JD, Wu B, Chang HY, et al. 2015. ATAC-seq: a method for assaying chromatin accessibility genome-wide [J]. *Current Protocols in Molecular Biology*, 109 (1): 21.29.1-21.29.9.
- Burge C, Karlin S. 1997. Prediction of complete gene structures in human genomic DNA [J]. *Journal of Molecular Biology*, 268 (1): 78-94.
- Burton JN, Adey A, Patwardhan RP, et al. 2013. Chromosome-scale scaffolding of de novo genome assemblies based on chromatin interactions [J]. *Nature Biotechnology*, 31 (12): 1119-1125.
- Busch A, Richter AS, Backofen R. 2008. IntaRNA: efficient prediction of bacterial sRNA targets incorporating target site accessibility and seed regions [J]. *Bioinformatics*, 24 (24): 2849-2856.
- Butler A, Hoffman P, Smibert P, et al. 2018. Integrating single-cell transcriptomic data across different conditions, technologies, and species [J]. *Nature Biotechnology*, 36 (5): 411-420.
- Butler J, MacCallum I, Kleber M, et al. 2008. ALLPATHS: de novo assembly of whole-genome shotgun microreads [J]. *Genome Research*, 18 (5): 810-820.
- Calviello L, Mukherjee N, Wyler E, et al. 2016. Detecting actively translated open reading frames in ribosome profiling data [J]. *Nature Methods*, 13: 165-170.

- Camp JG, Wollny D, Treutlein B. 2018. Single-cell genomics to guide human stem cell and tissue engineering [J]. *Nature Methods*, 15 (9): 661-667.
- Caporaso JG, Kuczynski J, Stombaugh J, et al. 2010. QIIME allows analysis of high-throughput community sequencing data [J]. *Nature Methods*, 7 (5): 335, 336.
- Carter RA, Bihannic L, Rosencrance C, et al. 2018. A single-cell tranional atlas of the developing murine cerebellum [J]. *Current Biology*, 8 (18): 2910-2920.
- Castelo-Szekely V, Arpat AB, Janich P, et al. 2017. Translational contributions to tissue specificity in rhythmic and constitutive gene expression [J]. *Genome Biology*, 18 (1): 116.
- Cavalli-Sforza LL, Edwards AWF. 1967. Phylogenetic analysis: Models and estimation procedures [J]. *Evolution*, 21 (3): 550-570.
- Chalhoub B, Liu S, Parkin IA, et al. 2014. Early allopolyploid evolution in the post-neolithic *Brassica napus* oilseed genome [J]. *Science*, 345 (6199): 950-953.
- Chen A, Liao S, Ma K, et al. 2021. Large field of view-spatially resolved transcriptomics at nanoscale resolution [J]. *bioRxiv*, DOI:10.1101/2021.01.17.427004.
- Chen C, Chen H, Zhang Y, et al. 2020b. TBtools-an integrative toolkit developed for interactive analyses of big biological data [J]. *Molecular Plant*, 13 (8): 1194-1202.
- Chen C, Xing D, Tan L, et al. 2017. Single-cell whole-genome analyses by Linear Amplification via Transposon Insertion (LIANTI) [J]. *Science*, 356 (6334): 189.
- Chen H, Yin X, Chen X, et al. 2021a. Effects of sample size on plant single-cell RNA profiling [J]. *bioRxiv*, DOI:10.21203/rs.3.rs-549533/v1.
- Chen H, Yin X, Guo L, et al. 2021b. PlantscRNAdb: A database for plant single-cell RNA analysis [J]. *Molecular Plant*, DOI:10.1016/j.molp.2021.05.002.
- Chen HM, Li YH, Wu SH. 2007. Bioinformatic prediction and experimental validation of a microRNA-directed tandem trans-acting siRNA cascade in *Arabidopsis* [J]. *Proceedings of the National Academy of Sciences*, 104 (9): 3318-3323.
- Chen J, Hero AO, Rajapakse I. 2016b. Spectral identification of topological domains [J]. *Bioinformatics*, 32 (14): 2151-2158.
- Chen K, Wallis JW, McLellan MD, et al. 2009. BreakDancer: an algorithm for high-resolution mapping of genomic structural variation [J]. *Nature Methods*, 6 (9): 677-681.
- Chen L, Yu Y, Zhang X, et al. 2016a. PcircRNA\_finder: A software for circRNA prediction in plants [J]. *Bioinformatics*, 32 (22): 3528, 3529.
- Chen LL. 2020c. The expanding regulatory mechanisms and cellular functions of circular RNAs [J]. *Nature Reviews Molecular Cell Biology*, 21 (8): 475-490.
- Chin CS, Peluso P, Sedlazeck FJ, et al. 2016. Phased diploid genome assembly with single-molecule real-time sequencing [J]. *Nature Methods*, 13 (12): 1050-1054.
- Chor B, Horn D, Goldman N, et al. 2009. Genomic DNA *K*-mer spectra: models and modalities [J]. *Genome Biology*, 10 (10): 108.
- Chotewutmontri P, Barkan A. 2016. Dynamics of chloroplast translation during chloroplast differentiation in maize [J]. *PLoS Genetics*, 12 (7): e1006106.
- Chowdhury B, Garai A, Garai G. 2017. An optimized approach for annotation of large eukaryotic genomic sequences using genetic algorithm [J]. *BMC Bioinformatics*, 18 (1): 1-13.
- Chu Q, Bai P, Zhu X, et al. 2020. Characteristics of plant circular RNAs [J]. *Briefings in Bioinformatics*, 21 (1): 135-143.
- Chuang TJ, Chen YJ, Chen CY, et al. 2018. Integrative transcriptome sequencing reveals extensive alternative trans-splicing and cis-backsplicing in human cells [J]. *Nucleic Acids Research*, 46 (7): 3671-3691.
- Clark TA, Lu X, Luong K, et al. 2013. Enhanced 5-methylcytosine detection in single-molecule,

- real-time sequencing via Tet1 oxidation [J]. *BMC Biology*, 11 (1): 4.
- Clarke J, Wu HC, Jayasinghe L, et al. 2009. Continuous base identification for single-molecule nanopore DNA sequencing [J]. *Nature Nanotechnology*, 4 (4): 265-270.
- Claverie JM. 2000. From bioinformatics to computational biology [J]. *Genome Research*, 10 (9): 1277-1279.
- Clayton D, Brereton IM, Kroon PA, et al. 2000. Three-dimensional NMR structure of the sixth ligand-binding module of the human LDL receptor: comparison of two adjacent modules with different ligand binding specificities [J]. *FEBS Letters*, 479 (3): 118-122.
- Cockerham CC. 1954. An extension of the concept of partitioning hereditary variance for analysis of covariances among relatives when epistasis is present [J]. *Genetics*, 39 (6): 859-882.
- Cockerham CC. 1967. Group inbreeding and coancestry [J]. *Genetics*, 56 (1): 89-104.
- Cole, Trapnell, Lior, et al. 2009. TopHat: discovering splice junctions with RNA-Seq [J]. *Bioinformatics*, 25 (9): 1105.
- Commins J, Toft C, Fares MA. 2009. Computational biology methods and their application to the comparative genomics of endocellular symbiotic bacteria of insects [J]. *Biological Procedures Online*, 11 (1): 52-78.
- Compton JT. 1979. Red and photographic infrared linear combinations for monitoring vegetation [J]. *Remote Sensing Environment*, 8 (2): 127-150.
- Cubry P, Tranchant-Dubreuil C, Thuillet AC, et al. 2018. The rise and fall of African rice cultivation revealed by analysis of 246 new genomes [J]. *Current Biology*, 28 (14): 2274-2282.
- Cullen KE, Kladd MP, Seyfred MA. 1993. Interaction between transcription regulatory regions of prolactin chromatin [J]. *Science*, 261 (5118): 203-206.
- Dai X, Zhao PX. 2011. psRNATarget: a plant small RNA target analysis server [J]. *Nucleic Acids Research*, 39: 155-159.
- Dai XB, Zhao PX. 2008. pssRNAMiner: a plant short small RNA regulatory cascade analysis server [J]. *Nucleic Acids Research*, 36: 114-118.
- Deamer D, Akeson M, Branton D. 2016. Three decades of nanopore sequencing [J]. *Nature Biotechnology*, 34 (5): 518-524.
- Dekker J, Rippe K, Dekker M, et al. 2002. Capturing chromosome conformation [J]. *Science*, 295 (5558): 1306-1311.
- Delcher AL, Kasif S, Fleischmann RD, et al. 1999. Alignment of whole genomes [J]. *Nucleic Acids Research*, 27 (11): 2369-2376.
- Deng W, Rupon JW, Krivega I, et al. 2014. Reactivation of developmentally silenced globin genes by forced chromatin looping [J]. *Cell*, 158 (4): 849-860.
- Denyer T, Ma X, Klesen S, et al. 2019. Spatiotemporal developmental trajectories in the *Arabidopsis* root revealed using high-throughput single cell RNA sequencing [J]. *Developmental Cell*, 48 (6): 840-852.
- Depristo MA, Banks E, Poplin R, et al. 2011. A framework for variation discovery and genotyping using next-generation DNA sequencing data [J]. *Nature Genetics*, 43 (5): 491-498.
- Deschamps S, Zhang Y, Llaca V, et al. 2018. A chromosome-scale assembly of the sorghum genome using nanopore sequencing and optical mapping [J]. *Nature Communications*, 9 (1): 4844.
- Devereux J, Haeberli P, Smithies O. 1984. A comprehensive set of sequence analysis programs for the VAX [J]. *Nucleic Acids Research*, 12: 387-395.
- Dhondt S, Wuyts N, Inzé D. 2013. Cell to whole-plant phenotyping: the best is yet to come [J]. *Trends in Plant Science*, 18 (8): 428-439.
- Dierckxsens N, Mardulyn P, Smits G. 2017. NOVOPlasty: de novo assembly of organelle genomes from whole genome data [J]. *Nucleic Acids Research*, 45 (4): 18.

- Dijkstra EW. 1959. A note on two problems in connexion with graphs [J]. *Numerische Mathematik*, 1 (1): 269-271.
- Dixon JR, Selvaraj S, Yue F, et al. 2012. Topological domains in mammalian genomes identified by analysis of chromatin interactions [J]. *Nature*, 485 (7398): 376-380.
- Dixon JR, Xu J, Dileep V, et al. 2018. Detection and analysis of structural variation in cancer genomes [J]. *Nature Genetics*, 50 (10): 1388-1398.
- Djekidel MN, Chen Y, Zhang MQ. 2018. FIND: Differential chromatin interactions detection using a spatial poisson process [J]. *Genome Research*, 28 (3): 412-422.
- Dlugosz M, Deorowicz S. 2017. RECKONER: read error corrector based on KMC [J]. *Bioinformatics*, 33 (7): 1086-1089.
- Dobin A, Davis CA, Schlesinger F, et al. 2013. STAR: ultrafast universal RNA-seq aligner [J]. *Bioinformatics*, 29: 15-21.
- Doerge RW, Churchill GA. 1996. Permutation tests for multiple loci affecting a quantitative character [J]. *Genetics*, 142 (1): 285-294.
- Dominissini D, Moshitch-Moshkovitz S, Schwartz S, et al. 2012. Topology of the human and mouse m6A RNA methylomes revealed by m6A-seq [J]. *Nature*, 485 (7397): 201.
- Dong P, Tu X, Chu PY, et al. 2017. 3d chromatin architecture of large plant genomes determined by local a/b compartments [J]. *Molecular Plant*, 10 (12): 1497.
- Dong R, Ma XK, Li GW, et al. 2018. CIRCpedia v2: an updated database for comprehensive circular RNA annotation and expression comparison [J]. *Genomics, Proteomics & Bioinformatics*, 16 (4): 226-233.
- Doolittle RF. 1981. Protein evolution [J]. *Science*, 214 (4525): 1123, 1124.
- Dostie J, Richmond TA, Arnaout RA, et al. 2006. Chromosome Conformation Capture Carbon Copy (5C): a massively parallel solution for mapping interactions between genomic elements [J]. *Genome Research*, 16 (10): 1299-1309.
- Duan Z, Qiao Y, Lu J, et al. 2019. HUPAN: a pan-genome analysis pipeline for human genomes [J]. *Genome Biology*, 20 (1): 149.
- Dudchenko O, Batra SS, Omer AD, et al. 2017. De novo assembly of the *Aedes aegypti* genome using Hi-C yields chromosome-length scaffolds [J]. *Science*, 356 (6333): 92-95.
- Dudhagara P, Bhavsar S, Bhagat C, et al. 2015. Web resources for metagenomics studies [J]. *Genomics Proteomics and Bioinformatics*, 13 (5): 296-303.
- Durbin R, Eddy S, Krogh A, et al. 1998. *Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids* [M]. Cambridge: Cambridge University Press.
- Duvick J, Standage DS, Merchant N, et al. 2016. xGDBvm: A web GUI-driven workflow for annotating eukaryotic genomes in the cloud [J]. *The Plant Cell*, 28 (4): 840-854.
- Eddy SR. 2011. Accelerated profile HMM searches [J]. *PLoS Computational Biology*, 7 (10): e1002195.
- Eddy SR. 2004b. What is a hidden Markov model [J]. *Nature Biotechnology*, 22: 1315-1326.
- Eddy SR. 2004a. What is Bayesian statistics [J]. *Nature Biotechnology*, 22: 1177-1178.
- Edwards AWF, Sforza LLC. 1963. The reconstruction of evolution [J]. *Heredity*, 27: 105, 106.
- Edwards MD, Stuber CW, Wendel JF. 1987. Molecular-marker-facilitated investigations of quantitative-trait loci in maize. I. Numbers, genomic distribution and types of gene action [J]. *Genetics*, 116 (1): 113-125.
- Efroni I, Ip P, Nawy T, et al. 2015. Quantification of cell identity from single-cell gene expression profiles [J]. *Genome Biology*, 16 (1): 9.
- Efroni I, Mello A, Nawy T, et al. 2016. Root regeneration triggers an embryo-like sequence guided by hormonal interactions [J]. *Cell*, 165 (7): 1721-1733.
- Ehrenreich IM, Torabi N, Jia Y, et al. 2010. Dissection

- of genetically complex traits with extremely large pools of yeast segregants [J]. *Nature*, 464 (7291): 1039.
- Eisenstein M. 2015. Big data: The power of petabytes [J]. *Nature*, 527 (7576): 2-4.
- Emrich SJ, Barbazuk WB, Li L, et al. 2007. Gene discovery and annotation using LCM-454 transcriptome sequencing [J]. *Genome Research*, 17 (1): 69-73.
- Evanno G, Regnaut S, Goudet J. 2005. Detecting the number of clusters of individuals using the software STRUCTURE: A simulation study [J]. *Molecular Ecology*, 14 (8): 2611-2620.
- Ewing B, Green P. 1998. Base-calling of automated sequencer traces using phred. II. Error probabilities [J]. *Genome research*, 8 (3): 186-194.
- Eyre-Walker A, Gaut RL, Hilton H, et al. 1998. Investigation of the bottleneck leading to the domestication of maize [J]. *Proceedings of the National Academy of Sciences*, 95 (8): 4441-4446.
- Fan L, Bao J, Wang Y, et al. 2009. Post-domestication selection in the maize starch pathway [J]. *PLoS ONE*, 4 (10): 7612.
- Fay JC, Wu CI. 2000. Hitchhiking under positive darwinian selection [J]. *Genetics*, 155 (3): 1405-1413.
- Felsenstein J. 1985. Confidence limits on phylogenies: An approach using the bootstrap [J]. *Evolution*, 39 (4): 783-791.
- Felsenstein J. 1981. Evolutionary trees from DNA sequences: A maximum likelihood approach [J]. *Journal of Molecular Evolution*, 17 (6): 368-376.
- Felsenstein J. 1983. Parsimony in systematics: Biological and statistical issues [J]. *Annual Review of Ecology and Systematics*, 14 (1): 313-333.
- Feng DF, Doolittle RF. 1987. Progressive sequence alignment as a prerequisite to correct phylogenetic trees [J]. *Journal of Molecular Evolution*, 25 (4): 351-360.
- Feng DF, Doolittle RF. 1987. Progressive sequence alignment as a prerequisite to correct phylogenetic trees [J]. *Journal of Molecular Evolution*, 25 (25): 351-360.
- Fengling C, Guipeng L, Zhang MQ, et al. 2018. HiCDB: A sensitive and robust method for detecting contact domain boundaries [J]. *Nucleic Acids Research*, 46 (21): 11239-11250.
- Filippova D, Patro R, Duggal G, et al. 2014. Identification of alternative topological domains in chromatin [J]. *Algorithms for Molecular Biology*, 9: 14.
- Flavahan WA, Drier Y, Liau BB, et al. 2016. Insulator dysfunction and oncogene activation in IDH mutant gliomas [J]. *Nature*, 529 (7584): 110-114.
- Fleischmann RD, Adams MD, White O, et al. 1995. Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd [J]. *Science*, 269 (5223): 496-512.
- Fogg CN, Kovats DE. 2015. Message from the iscb: 2015 iscb accomplishment by a senior scientist award: Cyrus chothia [J]. *Bioinformatics*, 31 (13): 2238, 2239.
- Forcato M, Nicoletti C, Pal K, et al. 2017. Comparison of computational methods for Hi-C data analysis [J]. *Nature Methods*, 14 (7): 679.
- Fortin JP, Hansen KD. 2015. Reconstructing A/B compartments as revealed by Hi-C using long-range correlations in epigenetic data [J]. *Genome Biology*, 16 (1): 180.
- François S, Baù D, Mike G, et al. 2017. Automatic analysis and 3D-modelling of Hi-C data using TADbit reveals structural features of the fly chromatin colors [J]. *PLoS Computational Biology*, 13 (7): e1005665.
- Franco-Zorrilla JM, Valli A, Todesco M, et al. 2007. Target mimicry provides a new mechanism for regulation of microRNA activity [J]. *Nature Genetics*, 39 (8): 1033-1037.
- Frankish A, Diekhans M, Ferreira AM, et al. 2019. Gencode reference annotation for the human and mouse genomes [J]. *Nucleic Acids Research*, 47 (1): 766-773.
- Fraser J, Ferrai C, Chiariello AM, et al. 2015.

- Hierarchical folding and reorganization of chromosomes are linked to transcriptional changes in cellular differentiation [J]. *Molecular Systems Biology*, 11 (12): 852.
- Fredens J, Wang K, de la Torre D, et al. 2019. Total synthesis of *Escherichia coli* with a recoded genome [J]. *Nature*, 569 (7757): 514-518.
- Fu YX, Li WH. 1993. Statistical tests of neutrality of mutations [J]. *Genetics*, 133 (3): 693-709.
- Fullwood MJ, Liu MH, Pan YF, et al. 2009. An oestrogen-receptor- $\alpha$ -bound human chromatin interactome [J]. *Nature*, 462 (7269): 58-64.
- Gabrieli T, Sharim H, Fridman D, et al. 2018. Selective nanopore sequencing of human BRCA1 by Cas9-assisted targeting of chromosome segments (CATCH) [J]. *Nucleic Acids Research*, 46 (14): 87.
- Gao L, Gonda I, Sun H, et al. 2019. The tomato pan-genome uncovers new genes and a rare allele regulating fruit flavor [J]. *Nature Genetics*, 51 (6): 1044-1051.
- Gao Y, Wang J, Zhao F. 2015. CIRI: An efficient and unbiased algorithm for de novo circular RNA identification [J]. *Genome biology*, 16 (1): 1-16.
- Gao Y, Zhang J, Zhao F. 2018. Circular RNA identification based on multiple seed matching [J]. *Briefings in Bioinformatics*, 19 (5): 803-810.
- Garalde DR, Snell EA, Jachimowicz D, et al. 2018. Highly parallel direct RNA sequencing on an array of nanopores [J]. *Nature Methods*, 15 (3): 201.
- Gauthier J, Vincent AT, Charette SJ, et al. 2019. A brief history of bioinformatics [J]. *Briefings in Bioinformatics*, 20 (6): 1981-1996.
- Geyer CJ. 1992. Markov chain Monte Carlo maximum likelihood [J]. *Computing Science & Stats*, 91 (8): 133-169.
- Ghavi-Helm Y, Jankowski A, Meiers S, et al. 2019. Highly rearranged chromosomes reveal uncoupling between genome topology and gene expression [J]. *Nature Genetics*, 51 (8): 1272-1282.
- Ghosh S, Das N, Das I, et al. 2019. Understanding deep learning techniques for image segmentation [J]. *ACM Computing Surveys (CSUR)*, 52 (4): 1-35.
- Ghurye J, Pop M, Koren S, et al. 2017. Scaffolding of long read assemblies using long range contact information [J]. *BMC Genomics*, 18 (1): 1-11.
- Giacomello S, Salmén F, Terebieniec BK, et al. 2017. Spatially resolved transcriptome profiling in model plant species [J]. *Nat Plants*, 3: 17061.
- Giardine B, Riemer C, Hardison RC, et al. 2005. Galaxy: A platform for interactive large-scale genome analysis [J]. *Genome research*, 15 (10): 1451-1455.
- Gibson BA, Doolittle LK, Schneider MWG, et al. 2019. Organization of chromatin by intrinsic and regulated phase separation [J]. *Cell*, 179 (2): 470-484.
- Gibson DG, Benders GA, Andrews-Pfannkoch C, et al. 2008. Complete chemical synthesis, assembly, and cloning of a *Mycoplasma genitalium* genome [J]. *Science*, 319 (5867): 1215-1220.
- Gibson DG, Glass JI, Lartigue C, et al. 2010. Creation of a bacterial cell controlled by a chemically synthesized genome [J]. *Science*, 329 (5987): 52-56.
- Gierahn TM, Wadsworth MH, Hughes TK, et al. 2017. Erratum: Seq-Well: portable, low-cost RNA sequencing of single cells at high throughput [J]. *Nature Methods*, 14 (4): 395-398.
- Giesselmann P, Brändl B, Raimondeau E, et al. 2019. Analysis of short tandem repeat expansions and their methylation state with nanopore sequencing [J]. *Nature biotechnology*, 37 (12): 1478-1481.
- Gilpatrick T, Lee I, Graham JE, et al. 2020. Targeted nanopore sequencing with Cas9-guided adapter ligation [J]. *Nature Biotechnology*, 38 (4): 433-438.
- Giorgetti L, Lajoie BR, Carter AC, et al. 2016. Structural organization of the inactive X chromosome in the mouse [J]. *Nature*, 535 (7613): 575-579.
- Giovannoni JJ, Wing RA, Ganai MW, et al. 1991. Isolation of molecular markers from specific chromosomal intervals using DNA pools from existing mapping populations [J]. *Nucleic Acids*

- Research, 19 (23): 6553-6568.
- Girshick R, Donahue J, Darrell T, et al. Rich feature hierarchies for accurate object detection and semantic segmentation [C] //Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition. 2014: 580-587.
- Girshick R. Fast r-cnn [C] //Proceedings of the IEEE International Conference on Computer Vision. 2015: 1440-1448.
- Gnerre S, MacCallum I, Przybylski D, et al. 2011. High-quality draft assemblies of mammalian genomes from massively parallel sequence data [J]. Proceedings of the National Academy of Sciences, 108 (4): 1513-1518.
- Goffeau A, Barrell BG, Bussey H, et al. 1996. Life with 6000 genes [J]. Science, 274 (5287): 546-567.
- Golicz AA, Bayer PE, Barker GC, et al. 2016. The pangenome of an agronomically important crop plant *Brassica oleracea* [J]. Nature Communications, 7: 13390.
- Green P. 1997. Against a whole-genome shotgun [J]. Genome Research, 7 (5): 410-417.
- Guarnerio J, Bezzi M, Jeong JC, et al. 2016. Oncogenic role of fusion-circRNAs derived from cancer-associated chromosomal translocations [J]. Cell, 165 (2): 289-302.
- Guindon S, Dufayard JF, Lefort V, et al. 2010. New algorithms and methods to estimate maximum-likelihood phylogenies: Assessing the performance of PhyML 3.0 [J]. Systematic Biology, 59 (3): 307-321.
- Guindon S, Gascuel O. 2003. A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood [J]. Systematic Biology, 52 (5): 696-704.
- Guo L, Qiu J, Han Z, et al. 2015. A host plant genome (*Zizania latifolia*) after a century - long endophyte infection [J]. Plant Journal for Cell and Molecular Biology, 83 (4): 600-609.
- Guo L, Qiu J, Ye CY, et al. 2017. *Echinochloa crus-galli* genome analysis provides insight into its adaptation and invasiveness as a weed [J]. Nature Communications, 8 (1): 1-10.
- Guo X, Bao J, Fan L. 2007. Evidence of selectively driven codon usage in rice: implications for GC content evolution of Gramineae genes [J]. FEBS Letters, 581 (5): 1015-1021.
- Gutaker RM, Groen SC, Bellis ES, et al. 2020. Genomic history and ecology of the geographic spread of rice [J]. Nature Plants, 6 (5): 492-502.
- Haddad N, Vaillant C, Jost D. 2017. IC-Finder: inferring robustly the hierarchical organization of chromatin folding [J]. Nucleic Acids Research, 45 (10): 81.
- Han X, Wang R, Zhou Y, et al. 2018. Mapping the mouse cell atlas by Microwell-Seq [J]. Cell, 173 (5):1307.
- Hanchard NA, Rockett KA, Spencer C, et al. 2006. Screening for recently selected alleles by analysis of human haplotype similarity [J]. The American Journal of Human Genetics, 78 (1): 153-159.
- Hanjun S, Yi S, Chao D, et al. 2016. TopDom: an efficient and deterministic method for identifying topological domains in genomes [J]. Nucleic Acids Research, (7): 70.
- Hansen TB, Jensen TI, Clausen BH, et al. 2013. Natural RNA circles function as efficient microRNA sponges [J]. Nature, 495 (7441): 384-388.
- Hartley RVL. 1928. Transmission of information 1 [J]. Bell System Technical Journal, 7 (3): 535-563.
- Hashimshony T, Wagner F, Sher N, et al. 2012. CEL-Seq: single-cell RNA-Seq by multiplexed linear amplification [J]. Cell Reports, 2 (3): 666-673.
- He K, Gkioxari G, Dollár P, et al. Mask r-cnn [C] // Proceedings of the IEEE International Conference on Computer Vision. 2017: 2961-2969.
- Heather JM, Chain B. 2016. The sequence of sequencers: The history of sequencing DNA [J]. Genomics, 107 (1): 1-8.
- Heinz S, Benner C, Spann N, et al. 2010. Simple combinations of lineage-determining transcription factors prime cis-regulatory elements required for macrophage and B cell identities [J]. Molecular Cell, 38 (4): 576-589.

- Henikoff S, Henikoff JG. 1992. Amino acid substitution matrices from protein blocks [J]. *Proceedings of the National Academy of Sciences*, 89 (22): 10915-10919.
- Heo Y, Ramachandran A, Hwu WM, et al. 2016. BLESS 2: Accurate, memory-efficient and fast error correction method [J]. *Bioinformatics*, 32 (15): 2369-2371.
- Higgins DG, Sharp PM. 1988. CLUSTAL: A package for performing multiple sequence alignment on a microcomputer [J]. *Gene*, 73 (1): 237-244.
- Higgins DG, Thompson JD, Gibson TJ. 1996. Using CLUSTAL for multiple sequence alignments [J]. *Methods in enzymology*, 266: 383-402.
- Hogeweg P, Hesper B. 1978b. Interactive instruction on population interactions [J]. *Computers in Biology and Medicine*, 8 (4): 319-327.
- Hogeweg P. 1978a. Simulating the growth of cellular forms [J]. *Simulation*, 31 (3): 90-96.
- Hogeweg P. 2011. The roots of bioinformatics in theoretical biology [J]. *PLoS Computational Biology*, 7 (3): e1002021.
- Hou M, Tang X, Tian F, et al. 2016. AnnoLnc: A web server for systematically annotating novel human lncRNAs [J]. *BMC Genomics*, 17 (1): 1-10.
- Howell M, Fahlgren N, Chapman E, et al. 2007. Genome-wide analysis of the RNA-DEPENDENT RNA POLYMERASE6/DICER-LIKE4 pathway in *Arabidopsis* reveals dependency on miRNA- and tasiRNA-directed targeting [J]. *Plant Cell*, 19 (3): 926-942.
- Hsiao AP, Barbee KD, Huang X. Microfluidic device for capture and isolation of single cells [C] // *Biosensing III*. International Society for Optics and Photonics. 2010.
- Huang L, Ma F, Chapman A, et al. 2015. Single-cell whole-genome amplification and sequencing: methodology and applications [J]. *Annual Review of Genomics and Human Genetics*, 16: 79-102.
- Huang L, Tang W, Bu S, et al. 2020. BRM: A statistical method for QTL mapping based on bulked segregant analysis by deep sequencing [J]. *Bioinformatics*, 36 (7): 2150-2156.
- Huang S, Kang M, Xu A. 2017. HaploMerger2: Rebuilding both haploid sub-assemblies from high-heterozygosity diploid genome assembly [J]. *Bioinformatics*, 33 (16): 2577-2579.
- Huang S, Zhang J, Li R, et al. 2011. SOAPSplICE: genome-wide *ab initio* detection of splice junctions from RNA-Seq data [J]. *Frontiers in Genetics*, 2: 46.
- Huang X, Han B. 2014. Natural variations and genome-wide association studies in crop plants [J]. *Annual Review of Plant Biology*, 65: 531-551.
- Huang X, Kurata N, Wei X, et al. 2012. A map of rice genome variation reveals the origin of cultivated rice [J]. *Nature*, 490 (7421): 497-501.
- Huang X, Madan A. 1999. CAP3: A DNA sequence assembly program [J]. *Genome Research*, 9 (9): 868-877.
- Hubbard T, Barker D, Birney E, et al. 2002. The Ensembl genome database project [J]. *Nucleic Acids Research*, 30 (1): 38-41.
- Hübner S, Bercovich N, Todesco M, et al. 2019. Sunflower pan-genome analysis shows that hybridization altered gene content and disease resistance [J]. *Nature Plants*, 5 (1): 54-62.
- Hudson RR. 1983. Properties of a neutral allele model with intragenic recombination [J]. *Theoretical Population Biology*, 23 (2): 183-201.
- Huelsenbeck JP, Larget B, Miller RE, et al. 2002. Potential applications and pitfalls of Bayesian inference of phylogeny [J]. *Systematic Biology*, 51 (5): 673-688.
- Hughes JR, Roberts N, McGowan S, et al. 2014. Analysis of hundreds of cis-regulatory landscapes at high resolution in a single, high-throughput experiment [J]. *Nature Genetics*, 46 (2): 205.
- Hwang YC, Lin CF, Valladares O, et al. 2015. HIPPIE: A high-throughput identification pipeline for promoter interacting enhancer elements [J]. *Bioinformatics*, 31 (8): 1290-1292.
- Ilyia S, Dougherty ER, Seungchan K, et al. 2002.

- Probabilistic Boolean networks: A rule-based uncertainty model for gene regulatory networks [J]. *Bioinformatics*, 18 (2): 261-274.
- Ingolia NT, Ghaemmaghami S, Newman JRS, et al. 2009. Genome-wide analysis in vivo of translation with nucleotide resolution using ribosome profiling [J]. *Science*, 324 (5924): 218-223.
- International Human Genome Sequencing Consortium. 2001. Initial sequencing and analysis of the human genome [J]. *Nature*, 409: 860-921.
- Islam S, Zeisel A, Joost S, et al. 2013. Quantitative single-cell RNA-seq with unique molecular identifiers [J]. *Nature Methods*, 11 (2): 163-166.
- Jaitin DA, Kenigsberg E, Keren-Shaul H, et al. 2014. Massively parallel single-cell RNA-Seq for marker-free decomposition of tissues into cell types [J]. *Science*, 343 (6172): 776-779.
- Jansen RC. 1993. Interval mapping of multiple quantitative trait loci [J]. *Genetics*, 135 (1): 205-211.
- Jarvis DE, Ho YS, Lightfoot DJ, et al. 2017. The genome of *Chenopodium quinoa* [J]. *Nature*, 542 (7641): 307.
- Jean-Baptiste K, McFaline-Figueroa JL, Alexandre CM, et al. 2019. Dynamics of gene expression in single root cells of *Arabidopsis thaliana* [J]. *The Plant Cell*, 31 (5): 993-1011.
- Jeck WR, Sharpless NE. 2014. Detecting and characterizing circular RNAs [J]. *Nature Biotechnology*, 32 (5): 453-461.
- Jenjaroenpun P, Wongsurawat T, Pereira R, et al. 2018. Complete genomic and transcriptional landscape analysis using third-generation sequencing: A case study of *Saccharomyces cerevisiae* CEN. PK113-7D [J]. *Nucleic Acids Research*, 46 (7): 38.
- Jia XZ. 2007. Genome-wide analysis of epistatic effects for quantitative traits in barley [J]. *Genetics*, 175 (4): 1955-1963.
- Jiang C, Zeng ZB. 1997. Mapping quantitative trait loci with dominant and missing markers in various crosses from two inbred lines [J]. *Genetics*, 101 (1): 47-58.
- Jiang W, Shen Y, Ding Y, et al. 2018. A naive Bayes algorithm for tissue origin diagnosis (TOD - Bayes) of synchronous multifocal tumors in the hepatobiliary and pancreatic system [J]. *International Journal of Cancer*, 142 (2): 357-368.
- Johnson DS, Mortazavi A, Myers RM, et al. 2007. Genome-wide mapping of in vivo protein-DNA interactions [J]. *Science*, 316 (5830): 1497-1502.
- Jones DT, Taylor WR, Thornton JM. 1992. The rapid generation of mutation data matrices from protein sequences [J]. *Bioinformatics*, 8 (3): 275-282.
- Jones NC, Pevzner PA. 2004. *An Introduction to Bioinformatics Algorithms* [M]. Cambridge: MIT Press.
- Jones-Rhoades MW, Bartel DP. 2004. Computational identification of plant microRNAs and their targets, including a stress-induced miRNA [J]. *Molecular Cell*, 14 (6): 787-799.
- JP, Huelsenbeck F, Ronquist R, et al. 2001. Bayesian inference of phylogeny and its impact on evolutionary biology [J]. *Science*, 294 (5550): 2310-2314.
- Jukes TH, Cantor CR, Munro HN. 1969. Evolution of protein molecules [J]. *Mammalian Protein Metabolism*, 21-123.
- Kajitani R, Toshimoto K, Noguchi H, et al. 2014. Efficient de novo assembly of highly heterozygous genomes from whole-genome shotgun short reads [J]. *Genome Research*, 24 (8): 1384-1395.
- Kang HM, Zaitlen NA, Wade CM, et al. 2008. Efficient control of population structure in model organism association mapping [J]. *Genetics*, 178 (3): 1709-1723.
- Kang YJ, Yang DC, Kong L, et al. 2017. CPC2: a fast and accurate coding potential calculator based on sequence intrinsic features [J]. *Nucleic Acids Research*, 45 (1): 12-16.
- Kao CH, Zeng ZB, Teasdale RD. 1999. Multiple interval mapping for quantitative trait loci [J]. *Genetics*, 152 (3): 1203-1216.

- Karlin S, Ghandour G, Ost F, et al. 1983. New approaches for computer analysis of nucleic acid sequences [J]. *Proceedings of the National Academy of Sciences*, 80 (18): 5660-5664.
- Kautsar SA, Suarez Duran HG, Blin K, et al. 2017. PlantSMASH: automated identification, annotation and expression analysis of plant biosynthetic gene clusters [J]. *Nucleic Acids Research*, 45 (1): 55-63.
- Ke L, Yang DC, Wang Y, et al. 2020. AnnoLnc2: the one-stop portal to systematically annotate novel lncRNAs for human and mouse [J]. *Nucleic Acids Research*, DOI: 10.1093/nar/gkaa368.
- Kempthorne O. 1954. The correlation between relatives in a random mating population [J]. *Proceedings of the Royal Society of London. Series B-Biological Sciences*, 143 (910): 103-113.
- Kent WJ. 2002. BLAT—the BLAST-like alignment tool [J]. *Genome Research*, 12 (4): 656-664.
- Khaki S, Wang L. 2019. Crop yield prediction using deep neural networks [J]. *Frontiers in Plant Science*, 10: 621.
- Khraiwesh B, Zhu JK, Zhu J. 2012. Role of miRNAs and siRNAs in biotic and abiotic stress responses of plants [J]. *Biochimica et Biophysica Acta (BBA) - Gene Regulatory Mechanisms*, 1819 (2): 137-148.
- Kimura M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences [J]. *Journal of Molecular Evolution*, 16 (2): 111-120.
- Kingman JFC. 1982. On the genealogy of large populations [J]. *Journal of applied probability*, 27-43.
- Kingman JFC. 2000. Origins of the coalescent: 1974-1982 [J]. *Genetics*, 156 (4): 1461-1463.
- Klein A, Mazutis L, Akartuna I, et al. 2015. Droplet barcoding for single-cell transcriptomics applied to embryonic stem cells [J]. *Cell*, 161 (5): 1187-1201.
- Kolmogorov M, Yuan J, Lin Y, et al. 2019. Assembly of long, error-prone reads using repeat graphs [J]. *Nature Biotechnology*, 37 (5): 540-546.
- Koon-Kiu Y, Shaoke L, Mark G, et al. 2017. MrTADFinder: A network modularity based approach to identify topologically associating domains in multiple resolutions [J]. *PLoS Computational Biology*, 13 (7): e1005647.
- Koren S, Walenz BP, Berlin K, et al. 2017. Canu: scalable and accurate long-read assembly via adaptive *K*-mer weighting and repeat separation [J]. *Genome Research*, 27 (5): 722-736.
- Kosugi S, Yoshida K, et al. 2012. Genome sequencing reveals agronomically important loci in rice using MutMap [J]. *Nature Biotechnology*, 30 (2): 174.
- Krogh A, Brown M, Mian IS, et al. 1994. Hidden Markov models in computational biology. Applications to protein modeling [J]. *Journal of Molecular Biology*, 235 (5): 1501-1531.
- Krogh A, Mian IS, Haussler D. 1994. A hidden Markov model that finds genes in *E. coli* DNA [J]. *Nucleic Acids Research*, 22 (22): 4768-4778.
- Kumar S, Tamura K, Nei M. 2004. MEGA3: integrated software for molecular evolutionary genetics analysis and sequence alignment [J]. *Briefings in Bioinformatics*, 5 (2): 150-163.
- Kwon KC, Chan HT, León IR, et al. 2016. Codon optimization to enhance expression yields insights into chloroplast translation [J]. *Plant Physiology*, 172 (1): 62-77.
- Lagos-Quintana M, Rauhut R, Lendeckel W, et al. 2001. Identification of novel genes coding for small expressed RNAs [J]. *Science*, 294 (5543): 853-858.
- Lajoie BR, Dekker J, Kaplan N. 2015. The Hitchhiker's guide to Hi-C analysis: practical guidelines [J]. *Methods*, 72: 65-75.
- Lander ES, Botstein D. 1989. Mapping mendelian factors underlying quantitative traits using RFLP linkage maps [J]. *Genetics*, 121 (1): 185-199.
- Lander ES, Waterman MS. 1988. Genomic mapping by fingerprinting random clones: a mathematical analysis [J]. *Genomics*, 2 (3): 231-239.
- Lange C, DeMeo DL, Laird NM. 2002. Power and design considerations for a general class of family-based association tests: quantitative traits [J]. *The*

- American Journal of Human Genetics, 71 (6): 1330-1341.
- Langfelder P, Horvath S. 2008. WGCNA: An R package for weighted correlation network analysis [J]. BMC Bioinformatics, 9 (1): 559.
- Langmead B, Trapnell C, Pop M, et al. 2009. Ultrafast and memory-efficient alignment of short DNA sequences to the human genome [J]. Genome Biology, 10 (3): 25.
- Lau NC, Lim LP, Weinstein EG, et al. 2001. An abundant class of tiny RNAs with probable regulatory roles in *Caenorhabditis elegans* [J]. Science, 294 (5543): 858-862.
- Lauria F, Tebaldi T, Bernabò P, et al. 2018. riboWaltz: Optimization of ribosome P-site positioning in ribosome profiling data [J]. PLoS Computational Biology, 14 (8): e1006169.
- Lee RC, Feinbaum RL, Ambros V. 1993. The *C. elegans* heterochronic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14* [J]. Cell, 75 (5): 843-854.
- Legnini I, Di Timoteo G, Rossi F, et al. 2017. Circ-ZNF609 is a circular RNA that can be translated and functions in myogenesis [J]. Molecular Cell, 66 (1): 22-37.
- Lei L, Shi J, Chen J, et al. 2015. Ribosome profiling reveals dynamic translational landscape in maize seedlings under drought stress [J]. The Plant Journal, 84 (6): 1206-1218.
- Lesne A, Riposo J, Roger P, et al. 2014. 3D genome reconstruction from chromosomal contacts [J]. Nature Methods, 11 (11): 1141.
- Levine AG. 2014. An exPlosion of bioinformatics careers [J]. Science, 344 (6189): 1303-1306.
- Lévy-Leduc C, Delattre M, Mary-Huard T, et al. 2014. Two-dimensional segmentation for analyzing Hi-C data [J]. Bioinformatics, 30 (17): 386-392.
- Li A, Yin X, Xu B, et al. 2018. Decoding topologically associating domains with ultra-low resolution Hi-C data by graph structural entropy [J]. Nature Communications, 9 (1): 1-12.
- Li B, Dewey CN. 2011. RSEM: accurate transcript quantification from RNA-Seq data with or without a reference genome [J]. BMC Bioinformatics, 12 (1): 323.
- Li H, Durbin R. 2009. Fast and accurate short read alignment with Burrows-Wheeler transform [J]. Bioinformatics, 25 (14): 1754-1760.
- Li H, Durbin R. 2011c. Inference of human population history from individual whole-genome sequences [J]. Nature, 475 (7357): 493-496.
- Li H, Handsaker B, Wysoker A, et al. 2009. The sequence alignment/map format and SAMtools [J]. Bioinformatics, 25 (16): 2078, 2079.
- Li H, Hearne S, Bänziger M, et al. 2010b. Statistical properties of QTL linkage mapping in biparental genetic populations [J]. Heredity, 105 (3): 257-267.
- Li H, Liu JS, Xu Z, et al. 2005. Test data sets and evaluation of gene prediction programs on the rice genome [J]. Journal of Computer Science and Technology, 20 (4): 446-453.
- Li H, Ribaut JM, Li Z, et al. 2008. Inclusive composite interval mapping (ICIM) for digenic epistasis of quantitative traits in biparental populations [J]. Theoretical and Applied Genetics, 116 (2): 243-260.
- Li H, Ye G, Wang J. 2007. A modified algorithm for the improvement of composite interval mapping [J]. Genetics, 175 (1): 361-374.
- Li H. 2011a. A new test for detecting recent positive selection that is free from the confounding impacts of demography [J]. Molecular Biology and Evolution, 28 (1): 365-375.
- Li M, Hong G, Cheng J, et al. 2016. Identifying reproducible molecular biomarkers for gastric cancer metastasis with the aid of recurrence information [J]. Scientific reports, 6 (1): 1-6.
- Li R, Zhu H, Ruan J, et al. 2010a. De novo assembly of human genomes with massively parallel short read sequencing [J]. Genome Research, 20 (2): 265-272.
- Li X, Chen L, Zhang Q, et al. 2019a. BRIF-Seq: bisulfite-converted randomly integrated fragments

- sequencing at the single-cell level [J]. *Molecular Plant*, 12 (3): 438-446.
- Li X, Li L, Yan J. 2015. Dissecting meiotic recombination based on tetrad analysis by single-microspore sequencing in maize [J]. *Nature Communications*, 6: 6648.
- Li X, Luo OJ, Wang P, et al. 2017. Long-read ChIA-PET for base-pair-resolution mapping of haplotype-specific chromatin interactions [J]. *Nature Protocols*, 12 (5): 899-915.
- Li X, Waterman MS. 2003. Estimating the repeat structure and length of DNA sequences using l-tuples [J]. *Genome Research*, 13 (8): 1916-1922.
- Li Y, Huang C, Ding L, et al. 2019b. Deep learning in bioinformatics: Introduction, application, and perspective in the big data era [J]. *Methods*, 166: 4-21.
- Li Y, Song S, Li C, et al. 2013. MeRIP-PF: an easy-to-use pipeline for high-resolution peak-finding in MeRIP-Seq data [J]. *Genomics, Proteomics & Bioinformatics*, 11 (1): 72-75.
- Li Y, Zhang Z, Liu F, et al. 2012b. Performance comparison and evaluation of software tools for microRNA deep-sequencing data analysis [J]. *Nucleic Acids Research*, 40 (10): 4298-4305.
- Li Z, Chen Y, Mu D, et al. 2012a. Comparison of the two major classes of assembly algorithms: overlap-layout-consensus and de-bruijn-graph [J]. *Briefings in Functional Genomics*, 11 (1): 25-37.
- Li, Song, Liliana, et al. 2014. Lighter: fast and memory-efficient sequencing error correction without counting [J]. *Genome Biology*, 15 (11): 1-13.
- Lian L, Shao-Wu Z, Jia M, et al. 2015. Recent progress and challenges in high throughput RNA methylation sequencing data analysis [J]. *Progress in Biochemistry and Biophysics*, 42 (10): 891-899.
- Lian X, Guo J, Gu W, et al. 2016. Genome-wide and experimental resolution of relative translation elongation speed at individual gene level in human cells [J]. *PLoS Genetics*, 12 (2): e1005901.
- Liao Y, Smyth GK, Shi W. 2014. featureCounts: An efficient general purpose program for assigning sequence reads to genomic features [J]. *Bioinformatics*, 30 (7): 923-930.
- Liao Y, Smyth GK, Shi W. 2013. The Subread aligner: fast, accurate and scalable read mapping by seed-and-vote [J]. *Nucleic Acids Research*, 41 (10): e108.
- Lieberman-Aiden E, van Berkum N L, Williams L, et al. 2009. Comprehensive mapping of long-range interactions reveals folding principles of the human genome [J]. *Science*, 326 (5950): 289-293.
- Lin D, Hong P, Zhang S, et al. 2018. Digestion-ligation-only Hi-C is an efficient and cost-effective method for chromosome conformation capture [J]. *Nature Genetics*, 50 (5): 754-763.
- Lipman DJ, Altschul SF, Kececioglu JD. 1989. A tool for multiple sequence alignment [J]. *Proceedings of the National Academy of Sciences*, 86 (12): 4412-4415.
- Lipman DJ, Pearson WR. 1985. Rapid and sensitive protein similarity searches [J]. *Science*, 227 (4693): 1435-1441.
- Liu Q, Fang L, Yu G, et al. 2019. Detection of DNA base modifications by deep recurrent neural network on Oxford Nanopore sequencing data [J]. *Nature Communications*, 10 (1): 1-11.
- Liu Y, Du H, Li P, et al. 2020. Pan-Genome of wild and cultivated soybeans [J]. *Cell*, 182: 1-15.
- Liu Y, Wang D. Application of deep learning in genomic selection [C] //2017 IEEE International Conference on Bioinformatics and Biomedicine (BIBM). IEEE Computer Society, 2017: 2280.
- Lizardi PM, Huang X, Zhu Z, et al. 1998. Mutation detection and single-molecule counting using isothermal rolling-circle amplification [J]. *Nature Genetics*, 19 (3): 225-232.
- Lo CC, Chain PSG. 2014. Rapid evaluation and quality control of next generation sequencing data with FaQCs [J]. *BMC Bioinformatics*, 15 (1): 1-8.
- Lu T, Cui L, Zhou Y, et al. 2015. Transcriptome-wide investigation of circular RNAs in rice [J]. *RNA*, 21

- (12): 2076-2087.
- Lu Y, Zhou Y, Tian W. 2013. Combining Hi-C data with phylogenetic correlation to predict the target genes of distal regulatory elements in human genome [J]. *Nucleic Acids Research*, 41 (22): 10391-10402.
- Luecken MD, Theis FJ. 2019. Current best practices in single-cell RNA-seq analysis: a tutorial [J]. *Mol Syst Biol*, 15 (6): 8746.
- Luke Z, Belinda P, Alicia O, et al. 2018. Exploring the single-cell RNA-seq analysis landscape with the scRNA-tools database [J]. *PLoS Computational Biology*, 14 (6): e1006245.
- Luo C, Fernie AR, Yan J. 2020. Single-cell genomics and epigenomics: technologies and applications in plants [J]. *Trends in Plant Science*, 25 (10): 1030-1040.
- Luo GZ, Macqueen A, Zheng G, et al. 2013. Unique features of the m6A methylome in *Arabidopsis thaliana* [J]. *Nature Communications*, 5: 5630.
- Luo R, Liu B, Xie Y, et al. 2012. SOAPdenovo2: an empirically improved memory-efficient short-read de novo assembler [J]. *Giga Science*, 1 (1): 1-6.
- Lupiáñez DG, Kraft K, Heinrich V, et al. 2015. Disruptions of topological chromatin domains cause pathogenic rewiring of gene-enhancer interactions [J]. *Cell*, 161 (5): 1012-1025.
- Lyu H, Liu E, Wu Z. 2020. Comparison of normalization methods for Hi-C data [J]. *BioTechniques*, 68 (2): 56-64.
- Ma W, Ay F, Lee C, et al. 2015. Fine-scale chromatin interaction maps reveal the cis-regulatory landscape of human lincRNA genes [J]. *Nature Methods*, 12 (1): 71-78.
- Ma W, Qiu Z, Song J, et al. 2017. DeepGS: Predicting phenotypes from genotypes using deep learning [J]. *bioRxiv*, 241414.
- Macosko EZ, Basu A, Satija R, et al. 2015. Highly parallel genome-wide expression profiling of individual cells using nanoliter droplets [J]. *Cell*, 161 (5): 1202-1214.
- Magwene PM, Willis JH, Kelly JK. 2011. The statistics of bulk segregant analysis using next generation sequencing [J]. *PLoS Computational Biology*, 7 (11): e1002255.
- Maher CA, Kumar-Sinha C, Cao X, et al. 2009. Transcriptome sequencing to detect gene fusions in cancer [J]. *Nature*, 458 (7234): 97-101.
- Malik L, Patro R. 2018. Rich chromatin structure prediction from Hi-C data [J]. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, 16 (5): 1448-1458.
- Mao L, Kawaide H, Higuchi T, et al. 2020. Genomic evidence for convergent evolution of gene clusters for momilactone biosynthesis in land plants [J]. *Proceedings of the National Academy of Sciences*, 117 (22): 12472-12480.
- Margulies M, Egholm M, Altman WE, et al. 2005. Genome sequencing in microfabricated high-density picolitre reactors [J]. *Nature*, 437 (7057): 376-380.
- McDonald JH, Kreitman M. 1991. Adaptive protein evolution at the Adh locus in *Drosophila* [J]. *Nature*, 351 (6328): 652-654.
- McDowell RM. 2016. Genomic selection with deep neural networks [D]. Iowa: Iowa State University.
- McKenna A, Hanna M, Banks E, et al. 2010. The genome analysis toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data [J]. *Genome Research*, 20 (9): 1297-1303.
- McVean GAT, Cardin NJ. 2005. Approximating the coalescent with recombination [J]. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360 (1459): 1387-1393.
- Memczak S, Jens M, Elefsinioti A, et al. 2013. Circular RNAs are a large class of animal RNAs with regulatory potency [J]. *Nature*, 495 (7441): 333-338.
- Meteignier LV, El Oirdi M, Cohen M, et al. 2017. Transcriptome analysis of an NB-LRR immune response identifies important contributors to plant immunity in *Arabidopsis* [J]. *Journal of Experimental Botany*, 68 (9): 2333-2344.

- Meyer KD, Jaffrey SR. 2014. The dynamic epitranscriptome: N6-methyladenosine and gene expression control [J]. *Nature Reviews Molecular Cell Biology*, 15 (5): 313-326.
- Meyer KD, Saletore Y, Zumbo P, et al. 2012. Comprehensive analysis of mRNA methylation reveals enrichment in 3' UTRs and near stop codons [J]. *Cell*, 149 (7): 1635-1646.
- Meyer, Barbara J, Wheeler, et al. 2015. Condensin-driven remodelling of X chromosome topology during dosage compensation [J]. *Nature*, 523 (7559): 240-244.
- Miao Z, Zhang T, Qi Y, et al. 2020. Evolution of the RNA N6-methyladenosine methylome mediated by genomic duplication [J]. *Plant Physiology*, 182 (1): 345-360.
- Michael TP, van Buren R. 2020. Building near-complete plant genomes [J]. *Current Opinion in Plant Biology*, 54: 26-33.
- Michelmore RW, Paran I, Kesseli RV. 1991. Identification of markers linked to disease-resistance genes by bulked segregant analysis: A rapid method to detect markers in specific genomic regions by using segregating populations [J]. *Proceedings of the National Academy of Sciences*, 88 (21): 9828-9832.
- Miclotte G, Heydari M, Demeester P, et al. 2016. Jabba: hybrid error correction for long sequencing reads [J]. *Algorithms for Molecular Biology*, 11 (1): 1-12.
- Miura H, Poonperm R, Takahashi S, et al. 2018. Practical analysis of Hi-C data: generating A/B compartment profiles [J]. *X-Chromosome Inactivation. Humana*, 221-245.
- Moncada R, Barkley D, Wagner F, et al. 2020. Integrating microarray-based spatial transcriptomics and single-cell RNA-seq reveals tissue architecture in pancreatic ductal adenocarcinomas [J]. *Nature Biotechnology*, 38 (3): 333-342.
- Montesinos-López A, Montesinos-López OA, Gianola D, et al. 2018. Multi-environment genomic prediction of plant traits using deep learners with dense architecture [J]. *G3: Genes, Genomes, Genetics*, 8 (12): 3813-3828.
- Montesinos-López OA, Martín-Vallejo J, Crossa J, et al. 2019. A benchmarking between deep learning, support vector machine and Bayesian threshold best linear unbiased prediction for predicting ordinal traits in plant breeding [J]. *G3: Genes, Genomes, Genetics*, 9 (2): 601-618.
- Mortazavi A, Williams BA, McCue K, et al. 2008. Mapping and quantifying mammalian transcriptomes by RNA-Seq [J]. *Nature Methods*, 5 (7): 621-628.
- Mount DW. 2004. *Bioinformatics: Sequence and Genome Analysis*. 2nd edition [M]. New York: Cold Spring Harbor Laboratory Press.
- Mullikin JC, Ning Z. 2003. The phusion assembler [J]. *Genome Research*, 13 (1): 81-90.
- Mumbach MR, Rubin AJ, Flynn RA, et al. 2016. HiChIP: efficient and sensitive analysis of protein-directed genome architecture [J]. *Nature Methods*, 13 (11): 919-922.
- Myers EW, Sutton GG, Delcher AL, et al. 2000. A whole-genome assembly of *Drosophila* [J]. *Science*, 287 (5461): 2196-2204.
- Nadachowska - Brzyska K, Burri R, Smeds L, et al. 2016. PSMC analysis of effective population sizes in molecular ecology and its application to black - and-white *Ficedula* flycatchers [J]. *Molecular Ecology*, 25 (5): 1058-1072.
- Narendra V, Bulajić M, Dekker J, et al. 2016. CTCF-mediated topological boundaries during development foster appropriate gene regulation [J]. *Genes & Development*, 30 (24): 2657-2662.
- Needleman SB, Wunsch CD. 1970. A general method applicable to the search for similarities in the amino acid sequence of two proteins [J]. *Journal of Molecular Biology*, 48 (3): 443-453.
- Nei M, Tajima F, Tateno Y. 1983. Accuracy of estimated phylogenetic trees from molecular data [J]. *Journal of Molecular Evolution*, 19 (2): 153-170.

- Nei M. 1987. *Molecular Evolutionary Genetics* [M]. Columbia: Columbia University Press.
- Nelms B, Walbot V. 2019. Defining the developmental program leading to meiosis in maize [J]. *Science*, 364 (6435): 52-56.
- Nigro JM, Cho KR, Fearon ER, et al. 1991. Scrambled exons [J]. *Cell*, 64 (3): 607-613.
- Norton HK, Emerson DJ, Huang H, et al. 2018. Detecting hierarchical genome folding with network modularity [J]. *Nature Methods*, 15 (2): 119.
- Oluwadare O, Cheng J. 2017. ClusterTAD: an unsupervised machine learning approach to detecting topologically associated domains of chromosomes from Hi-C data [J]. *BMC Bioinformatics*, 18 (1): 480.
- Ou S, Chen J, Jiang N. 2018. Assessing genome assembly quality using the LTR Assembly Index (LAI) [J]. *Nucleic Acids Research*, 46 (21): 126.
- Ouyang W, Xiao Q, Li G, et al. 2021. Technologies for capturing 3D genome architecture in plants [J]. *Trends in Plant Science*, 26 (2): 196, 197.
- Palstra RJ, Tolhuis B, Splinter E, et al. 2003. The  $\beta$ -globin nuclear compartment in development and erythroid differentiation [J]. *Nature Genetics*, 35 (2): 190-194.
- Pamudurti NR, Bartok O, Jens M, et al. 2017. Translation of circRNAs [J]. *Molecular Cell*, 66 (1): 9-21.
- Pan X, Xiong K. 2015. PredcircRNA: Computational classification of circular RNA from other long non-coding RNA using hybrid features [J]. *Molecular Biosystems*, 11 (8): 2219-2226.
- Paolillo C, Londin E, Fortina P. 2019. Single-cell genomics [J]. *Clinical Chemistry*, 65 (8): 972-985.
- Pasquinelli AE, Reinhart BJ, Slack F, et al. 2000. Conservation of the sequence and temporal expression of let-7 heterochronic regulatory RNA [J]. *Nature*, 408 (6808): 86-89.
- Paulsen J, Ali TML, Collas P. 2018. Computational 3D genome modeling using Chrom3D [J]. *Nature Protocols*, 13 (5): 1137-1152.
- Pearson WR, Lipman DJ. 1988. Improved tools for biological sequence comparison [J]. *Proceedings of the National Academy of Sciences*, 85 (8): 2444-2448.
- Pérez-Enciso M, Zingaretti LM. 2019. A guide on deep learning for complex trait genomic prediction [J]. *Genes*, 10 (7): 553.
- Perez-Sanz F, Navarro PJ, Egea-Cortines M. 2017. Plant phenomics: an overview of image acquisition technologies and image data analysis algorithms [J]. *Giga Science*, 6 (11): 92.
- Pertea M, Kim D, Pertea GM, et al. 2016. Transcript-level expression analysis of RNA-seq experiments with HISAT, StringTie and Ballgown [J]. *Nature Protocols*, 11 (9): 1650.
- Petkovic S, Müller S. 2015. RNA circularization strategies in vivo and in vitro [J]. *Nucleic Acids Research*, 43 (4): 2454-2465.
- Pevzner P. 2000. *Computational Molecular Biology: An Algorithmic Approach* [M]. Cambridge: MIT press.
- Pevzner PA, Tang H, Waterman MS. 2001. An Eulerian path approach to DNA fragment assembly [J]. *Proceedings of the National Academy of Sciences*, 98 (17): 9748-9753.
- Pevzner PA. 1989. 1-Tuple DNA sequencing: Computer analysis [J]. *Journal of Biomolecular Structure and Dynamics*, 7 (1): 63-73.
- Picelli S, Faridani OR, Björklund AK, et al. 2014. Full-length RNA-seq from single cells using Smart-seq2 [J]. *Nature Protocols*, 9 (1): 171-181.
- Piovesan A, Caracausi M, Antonaros F, et al. 2016. GeneBase 1. 1: a tool to summarize data from NCBI gene datasets and its application to an update of human gene statistics [J]. *Database*, DOI: 10.1093/database/baw153.
- Piserchia Z. 2018. *Applications of Genetic Algorithms in Bioinformatics* [D]. California: UC Riverside.
- Poirion OB, Zhu X, Ching T, et al. 2016. Single-cell transcriptomics bioinformatics and computational challenges [J]. *Frontiers in Genetics*, 7: 163.

- Popa A, Lebrigand K, Paquet A, et al. 2016. RiboProfiling: a Bioconductor package for standard Ribo-seq pipeline processing [J]. *F1000Research*, 5.
- Posada D, Crandall KA. 1998. Modeltest: testing the model of DNA substitution [J]. *Bioinformatics*, 14 (9): 817, 818.
- Potter SC, Luciani A, Eddy SR, et al. 2018. HMMER web server: 2018 update [J]. *Nucleic Acids Research*, 46 (1): 200-204.
- Prakash T, Taylor TD. 2012. Functional assignment of metagenomic data: Challenges and applications [J]. *Briefings in Bioinformatics*, 13 (6): 711-727.
- Price AL, Patterson NJ, Plenge RM, et al. 2006. Principal components analysis corrects for stratification in genome-wide association studies [J]. *Nature Genetics*, 38 (8): 904-909.
- Pritchard JK, Stephens M, Donnelly P. 2000. Inference of population structure using multilocus genotype data [J]. *Genetics*, 155 (2): 945-959.
- Pryszcz LP, Gabaldón T. 2016. Redundans: An assembly pipeline for highly heterozygous genomes [J]. *Nucleic Acids Research*, 44 (12): 113.
- Putnam NH, O'Connell BL, Stites JC, et al. 2016. Chromosome-scale shotgun assembly using an in vitro method for long-range linkage [J]. *Genome Research*, 26 (3): 342-350.
- Qiu J, Jia L, Wu D, et al. 2020. Diverse genetic mechanisms underlie worldwide convergent rice feralization [J]. *Genome Biology*, 21 (1): 70.
- Quan M, Chen J, Zhang D. 2015. Exploring the secrets of long noncoding RNAs [J]. *International Journal of Molecular Sciences*, 16 (3): 5467-5496.
- Quince C, Walker AW, Simpson JT, et al. 2017. Shotgun metagenomics, from sampling to analysis [J]. *Nature Biotechnology*, 35 (9): 833-844.
- Quinodoz SA, Ollikainen N, Tabak B, et al. 2018. Higher-order inter-chromosomal hubs shape 3D genome organization in the nucleus [J]. *Cell*, 174 (3): 744-757.
- Rachel MS, Steven LS. 2020. Pan-genomics in the human genome era [J]. *Nature Reviews Genetics*, 21 (4) 243-254.
- Rachmatia H, Kusuma WA, Hasibuan LS. Prediction of maize phenotype based on whole-genome single nucleotide polymorphisms using deep belief networks [C] // *Journal of Physics: Conference Series*. 2017: 012003.
- Rahimi K, Venø MT, Dupont DM, et al. 2019. Nanopore sequencing of full-length circRNAs in human and mouse brains reveals circRNA-specific exon usage and intron retention [J]. *bioRxiv*, 567164.
- Rahman A, Hallgrímsdóttir I, Eisen M, et al. 2018. Association mapping from sequencing reads using k-mers [J]. *Elife*, 7: 32920.
- Ramírez F, Bhardwaj V, Arrigoni L, et al. 2018. High-resolution TADs reveal DNA sequences underlying genome organization in flies [J]. *Nature Communications*, 9 (1): 1-15.
- Ramsköld D, Luo S, Wang YC, et al. 2012. Full-length mRNA-Seq from single-cell levels of RNA and individual circulating tumor cells [J]. *Nature Biotechnology*, 30 (8): 777-782.
- Rand AC, Jain M, Eizenga JM, et al. 2017. Mapping DNA methylation with high-throughput nanopore sequencing [J]. *Nature Methods*, 14 (4): 411-413.
- Rao CR. 1971. Minimum variance quadratic unbiased estimation of variance components [J]. *Journal of Multivariate Analysis*, 1 (4): 445-456.
- Rao SSP, Huntley MH, Durand NC, et al. 2014. A 3D map of the human genome at kilobase resolution reveals principles of chromatin looping [J]. *Cell*, 159 (7): 1665-1680.
- Raphael T, Rouhollah B, Yang G, et al. 2018. Commonalities and differences of chloroplast translation in a green alga and land plants [J]. *Nature Plants*, 4 (8): 564-575.
- Raphael, Benjamin J, Weinreb, et al. 2016. Identification of hierarchical chromatin domains [J]. *Bioinformatics*, 32 (11): 1601-1609.
- Ravasz E, Somera A L, Mongru D A, et al. 2002. Hierarchical organization of modularity in

- metabolic networks [J]. *Science*, 297 (5586): 1551-1555.
- Reinhart BJ, Slack FJ, Basson M, et al. 2000. The 21-nucleotide let-7 RNA regulates developmental timing in *Caenorhabditis elegans* [J]. *Nature*, 403 (6772): 901-906.
- Ren S, He K, Girshick R, et al. Faster r-cnn: Towards real-time object detection with region proposal networks [C] // *Advances in Neural Information Processing Systems*. 2015: 91-99.
- Rieber L, Mahony S. 2017. MiniMDS: 3D structural inference from high-resolution Hi-C data [J]. *Bioinformatics*, 33 (14): 261-266.
- Rocha PP, Raviram R, Bonneau R, et al. 2015. Breaking TADs: insights into hierarchical genome organization [J]. *Epigenomics*, 7 (4): 523-526.
- Rola D, Mathieu B. 2017. A critical assessment of topologically associating domain prediction tools [J]. *Nucleic Acids Research*, 6: 2994-3005.
- Ron G, Globerson Y, Moran D, et al. 2017. Promoter-enhancer interactions identified from Hi-C data using probabilistic models and hierarchical topological domains [J]. *Nature Communications*, 8 (1): 2237.
- Ronaghi M, Uhlén M, Nyrén P. 1998. A sequencing method based on real-time pyrophosphate [J]. *Science*, 281 (5375): 363-365.
- Ronquist F, Huelsenbeck JP. 2003. MrBayes 3: Bayesian phylogenetic inference under mixed models [J]. *Bioinformatics*, 19 (12): 1572-1574.
- Roos DS. 2001. Bioinformatics-trying to swim in a sea of data [J]. *Science*, 291 (5507): 1260, 1261.
- Rothberg JM, Hinz W, Rearick TM, et al. 2011. An integrated semiconductor device enabling non-optical genome sequencing [J]. *Nature*, 475 (7356): 348-352.
- Rust MJ, Bates M, Zhuang X. 2006. Sub-diffraction-limit imaging by stochastic optical reconstruction microscopy (STORM) [J]. *Nature Methods*, 3 (10): 793-796.
- Ryu KH, Huang L, Kang HM, et al. 2019. Single-cell RNA sequencing resolves molecular relationships among individual plant cells [J]. *Plant Physiology*, 179 (4): 1444-1456.
- Rzhetsky A, Nei M. 1992. A simple method for estimating and testing minimum-evolution trees [J]. *Molecular Biology and Evolution*, 9 (5): 945-967.
- Sabeti PC, Reich DE, Higgins JM, et al. 2002. Detecting recent positive selection in the human genome from haplotype structure [J]. *Nature*, 419 (6909): 832-837.
- Saitou N, Nei M. 1987. The neighbor-joining method: A new method for reconstructing phylogenetic trees [J]. *Molecular Biology and Evolution*, 4 (4): 406-425.
- Salmela L, Rivals E. 2014. LoRDEC: Accurate and efficient long read error correction [J]. *Bioinformatics*, 30 (24): 3506-3514.
- Salzberg SL. 2019. Next-generation genome annotation: We still struggle to get it right [J]. *Genome Biology*, 20 (1): 92.
- Salzman J, Chen RE, Olsen MN, et al. 2013. Cell-type specific features of circular RNA expression [J]. *PLoS Genetics*, 9 (9): e1003777.
- Sanger F, Air GM, Barrell BG, et al. 1977. Nucleotide sequence of bacteriophage [phi] X174 DNA [J]. *Nature*, 265 (5596): 687-695.
- Sanger FA, Coulson AR, Hong GF, et al. 1982. Nucleotide sequence of bacteriophage lambda DNA [J]. *Journal of Molecular Biology*, 162 (4): 729-773.
- Santos A, Aerle RV, Barrientos L, et al. 2020. Computational methods for 16S metabarcoding studies using Nanopore sequencing data [J]. *Computational and Structural Biotechnology Journal*, 18: 296-305.
- Satagopan JM, Yandell BS, Newton MA, et al. 1996. A bayesian approach to detect quantitative trait loci using markov chain monte carlo [J]. *Genetics*, 144 (2): 805-816.
- Schadt EE, Banerjee O, Fang G, et al. 2013. Modeling kinetic rate variation in third generation DNA sequencing data to detect putative modifications to

- DNA bases. [J]. *Genome Research*, 23 (1): 129-141.
- SchlaPfer P, Zhang P, Wang C, et al. 2017. Genome-wide prediction of metabolic enzymes, pathways, and gene clusters in plants [J]. *Plant Physiology*, 173 (4): 2041-2059.
- Schneider TD, Stephens RM. 1990. Sequence logos: A new way to display consensus sequences. *Nucleic Acids Res*, 18: 6097-6100.
- Sedlazeck FJ, Lee H, Darby CA, et al. 2018. Piercing the dark matter: Bioinformatics of long-range sequencing and mapping [J]. *Nature Reviews Genetics*, 19 (6): 329-346.
- Shafi A, Mitrea C, Nguyen T, et al. 2018. A survey of the approaches for identifying differential methylation using bisulfite sequencing data [J]. *Briefings in bioinformatics*, 19 (5): 737-753.
- Shamimuzzaman M, Vodkin L. 2018. Ribosome profiling reveals changes in translational status of soybean transcripts during immature cotyledon development [J]. *PLoS ONE*, 13 (3): e0194596.
- Shen D, Wang S, Chen H, et al. 2009. Molecular phylogeny of miR390-guided trans-acting siRNA genes (TAS3) in the grass family [J]. *Plant Systematics and Evolution*, 283 (1-2): 125.
- Shen Y, Wolkowicz MJ, Kotova T, et al. 2016. Transcriptome sequencing reveals e-cigarette vapor and mainstream-smoke from tobacco cigarettes activate different gene expression profiles in human bronchial epithelial cells [J]. *Rep*, 6: 23984.
- Shendure J, Balasubramanian S, Church GM, et al. 2017. DNA sequencing at 40: Past, present and future. [J]. *Nature*, 550 (7676): 345-353.
- Shulse CN, Cole BJ, Ciobanu D, et al. 2019. High-throughput single-cell transcriptome profiling of plant cell types [J]. *Cell Reports*, 27 (7): 2241-2247.
- Simonis M, Klous P, Splinter E, et al. 2006. Nuclear organization of active and inactive chromatin domains uncovered by chromosome conformation capture-on-chip (4C) [J]. *Nature Genetics*, 38 (11): 1348-1354.
- Simpson JT, Wong K, Jackman SD, et al. 2009. ABySS: A parallel assembler for short read sequence data [J]. *Genome Research*, 19 (6): 1117.
- Simpson JT, Workman RE, Zuzarte PC, et al. 2017. Detecting DNA cytosine methylation using nanopore sequencing [J]. *Nature Methods*, 14 (4): 407-410.
- Smith AFM, Roberts GO. 1993. Bayesian computation via the Gibbs sampler and related Markov chain Monte Carlo methods [J]. *Journal of the Royal Statistical Society: Series B (Methodological)*, 55 (1): 3-23.
- Smith AM, Jain M, Mulroney L, et al. 2019. Reading canonical and modified nucleobases in 16S ribosomal RNA using nanopore native RNA sequencing [J]. *PLoS ONE*, 14 (5): e0216709.
- Smith TF, Waterman MS. 1981. Identification of common molecular subsequences [J]. *Journal of Molecular Biology*, 147 (1): 195-197.
- Smith ZD, Gu H, Bock C, et al. 2009. High-throughput bisulfite sequencing in mammalian genomes [J]. *Methods*, 48 (3): 226-232.
- Sneath PHA, Sokal RR. 1973. *The Principles and Practice of Numerical Classification* [M]. Numerical Taxonomy.
- Song X, Zhang N, Han P, et al. 2016. Circular RNA profile in gliomas revealed by identification tool UROBORUS [J]. *Nucleic Acids Research*, 44 (9): 87.
- Spielman RS, McGinnis RE, Ewens WJ. 1993. Transmission test for linkage disequilibrium: The insulin gene region and insulin-dependent diabetes mellitus (IDDM) [J]. *American Journal of Human Genetics*, 52 (3): 506.
- Staden R. 1977. Sequence data handling by computer [J]. *Nucleic acids research*, 4 (11): 4037-4052.
- Stamatakis A, Ludwig T, Meier H. 2005. RAXML-III: A fast program for maximum likelihood-based inference of large phylogenetic trees [J]. *Bioinformatics*, 21 (4): 456.
- Stark R, Grzelak M, Hadfield J. 2019. RNA sequencing: The teenage years [J]. *Nature Reviews*

- Genetics, 20 (11).
- Stephan S, Richard D. 2014. Inferring human population size and separation history from multiple genome sequences [J]. *Nature Genetics*, 46 (8): 919-925.
- Stormo GD, Hartzell GW. 1989. Identifying protein-binding sites from unaligned DNA fragments [J]. *Proceedings of the National Academy of Sciences of the United States of America*, 86 (4): 1183-1187.
- Stram DO. 2014. *Design, Analysis, and Interpretation of Genome-wide Association Scans* [M]. New York: Springer.
- Suarez-Quian CA, Goldstein SR, Pohida T, et al. 1999. Laser capture microdissection of single cells from complex tissues. [J]. *Biotechniques*, 26 (2): 328-335.
- Suner A. 2019. Clustering methods for single-cell RNA-sequencing expression data: Performance evaluation with varying sample sizes and cell compositions [J]. *Statistical Applications in Genetics and Molecular Biology*, DOI:10.1515/sagmb-2019-0004.
- Sutton GG, White O, Adams MD, et al. 1995. TIGR Assembler: A new tool for assembling large shotgun sequencing projects [J]. *Genome Science & Technology*, 1 (1): 9-19.
- Szabo L, Morey R, Palpant NJ, et al. 2015. Statistically based splicing detection reveals neural enrichment and tissue-specific induction of circular RNA during human fetal development [J]. *Genome Biology*, 16 (1): 126.
- Tajima F. 1983. Evolutionary relationship of DNA sequences in finite populations [J]. *Genetics*, 105 (2): 437-460.
- Tajima F. 1989. Statistical method for testing the neutral mutation hypothesis by DNA polymorphism [J]. *Genetics*, 123 (3): 585-595.
- Takagi H, Abe A, Yoshida K, et al. 2013. QTL-seq: Rapid mapping of quantitative trait loci in rice by whole genome resequencing of DNA from two bulked populations. [J]. *Plant Journal*, 74 (1): 174-183.
- Tamura K, Dudley J, Nei M, et al. 2007. MEGA4: Molecular evolutionary genetics analysis (MEGA) software version 4.0 [J]. *Molecular Biology and Evolution*, 24 (8): 1596-1599.
- Tang F, Barbacioru C, Wang Y, et al. 2009. mRNA-Seq whole-transcriptome analysis of a single cell [J]. *Nature Methods*, 6 (5): 377-382.
- Tang H, Zhang X, Miao C, et al. 2015. ALLMAPS: Robust scaffold ordering based on multiple maps [J]. *Genome Biology*, 16 (1): 3.
- Tang W, Huang L, Bu S, et al. 2018. Estimation of QTL heritability based on pooled sequencing data [J]. *Bioinformatics*, 34 (6): 978-984.
- Tanksley SD, Medina-Filho H, Rick CM. 1982. Use of naturally-occurring enzyme variation to detect and map genes controlling quantitative traits in an interspecific backcross of tomato [J]. *Heredity*, 49 (1): 11-25.
- Tavare S, Giddings BW. 2013. Some statistical aspects of the primary structure of nucleotide sequences [J]. *Mathematical Methods for DNA Sequences*, 1: 117-132.
- Tenaillon MI, Jana U, Olivier T, et al. 2004. Selection versus demography: A multilocus investigation of the domestication process in maize [J]. *Molecular Biology & Evolution*, (7): 1214-1225.
- Terai G, Iwakiri J, Kameda T, et al. Comprehensive prediction of lncRNA-RNA interactions in human transcriptome [C] //BMC genomics. *BioMed Central*, 2016, 17 (1): 153-164.
- Terhorst J, Kamm JA, Song YS. 2017. Robust and scalable inference of population history from hundreds of unphased whole genomes [J]. *Nature genetics*, 49 (2): 303-309.
- Tettelin H, Maignani V, Cieslewicz MJ, et al. 2005. Genome analysis of multiple pathogenic isolates of *Streptococcus agalactiae*: Implications for the microbial "pan-genome" [J]. *Proceedings of the National Academy of Sciences*, 102 (39): 13950-13955.
- The C, Consortium ES. 1998. Genome sequence of the

- nematode *C. elegans*: A platform for investigating biology [J]. *Science*, 282 (5396): 2012-2018.
- Thompson JD, Higgins DG, Gibson TJ. 1994. CLUSTAL W: Improving the sensitivity of progressive weighting, position-specific gap penalties and weight matrix choice [J]. *Nucleic Acids Research*, 22: 4673-4680.
- Thompson JD. 1997. The Clustal\_X Windows interface: Flexible strategies for multiple sequence alignment aided by quality analysis tool [J]. *Nucleic Acids Research*, 25 (24): 4876-4882.
- Thomson DW, Bracken CP, Goodall GJ. 2011. Experimental strategies for microRNA target identification [J]. *Nucleic Acids Research*, 39 (16): 6845-6853.
- Tian Y, Fan L, Thurau T, et al. 2004. The absence of TIR-type resistance gene analogues in the sugar beet (*Beta vulgaris* L.) genome [J]. *Journal of Molecular Evolution*, 58 (1): 40-53.
- Tong W, Yizhi C, Jingjie J, et al. 2013. Translating mRNAs strongly correlate to proteins in a multivariate manner and their translation ratios are phenotype specific [J]. *Nucleic Acids Research*, (9): 4743-4754.
- Trapnell C, Roberts A, Goff L, et al. 2012. Differential gene and transcript expression analysis of RNA-seq experiments with TopHat and Cufflinks [J]. *Nature Protocols*, 7 (3): 562-578.
- Trapnell C, Williams BA, Pertea G, et al. 2010. Transcript assembly and quantification by RNA-Seq reveals unannotated transcripts and isoform switching during cell differentiation [J]. *Nature Biotechnology*, 28 (5): 511-515.
- Trask Barbara J. 1991. Fluorescence in situ hybridization: applications in cytogenetics and gene mapping [J]. *Trends Genetics*, 7 (5): 149-154.
- Tuan T, Jianlin C. 2014. Large-scale reconstruction of 3D structures of human chromosomes from chromosomal contact data [J]. *Nucleic Acids Research*, (7): 52.
- Turco GM, Rodriguez-Medina J, Siebert S, et al. 2019. Molecular mechanisms driving switch behavior in xylem cell differentiation [J]. *Cell Reports*, 28 (2): 342-351.
- Tyler TW, Girke T. 2016. SystemPipeR: NGS workflow and report generation environment [J]. *BMC Bioinformatics*, 17: 388.
- Ulahannan N, Pendleton M, Deshpande A, et al. 2019. Nanopore sequencing of DNA concatemers reveals higher-order features of chromatin structure [J]. *bioRxiv*, DOI:10.1101/833590.
- van Den Bos H, Bakker B, Spierings DCJ, et al. 2018. Single-cell sequencing to quantify genomic integrity in cancer [J]. *The International Journal of Biochemistry & Cell Biology*, 94: 146-150.
- van Dijk EL, Auger H, Jaszczyszyn Y, et al. 2014. Ten years of next-generation sequencing technology [J]. *Trends in Genetics*, 30 (9): 418-426.
- van Noorden R, Maher B, Nuzzo R. 2014. The top 100 papers [J]. *Nature News*, 514 (7524): 550.
- Varshney RK, Sinha P, Singh VK, et al. 2020. 5Gs for crop genetic improvement [J]. *Current Opinion in Plant Biology*, DOI:10.1016/j.pbi.2019.12.004.
- Velculescu VE, Zhang L, Vogelstein B, et al. 1995. Serial analysis of gene expression [J]. *Science*, 270 (5235): 484-487.
- Venter JC, Adams MD, Myers EW. 2001. The Sequence of the Human Genome [J]. *Science*, 291 (5507): 1304.
- Venter JC, Remington K, Heidelberg JF, et al. 2004. Environmental genome shotgun sequencing of the Sargasso Sea [J]. *Science*, 304 (5667): 66-74.
- Vera Pancaldi JB. 2011. In silico characterization and prediction of global protein-mRNA interactions in yeast [J]. *Nucleic Acids Research*, 39 (39): 5826-5836.
- Vermeulen L, Todaro M, de SMF, et al. 2008. Single-cell cloning of colon cancer stem cells reveals a multi-lineage differentiation capacity [J]. *Proceedings of the National Academy of Sciences*, 105 (36): 13427-13432.
- Vitti JJ, Grossman SR, Sabeti PC. 2013. Detecting

- natural selection in genomic data [J]. *Annual Review of Genetics*, 47 (1): 97-120.
- Voichek Y, Weigel D. 2020. Identifying genetic variants underlying phenotypic variation in plants without complete genomes [J]. *Nature Genetics*, 52 (5): 534-540.
- Voight BF, Kudravalli S, Wen X, et al. 2006. A map of recent positive selection in the human genome [J]. *PLoS Biology*, 4 (3): 72.
- Wagner, Günter P, Kenney-Hunt JP, et al. 2008. Pleiotropic scaling of gene effects and the “cost of complexity” [J]. *Nature*, 452 (7186): 470-472.
- Waldmann P. 2018. Approximate Bayesian neural networks in genomic prediction [J]. *Genetics Selection Evolution*, 50 (1): 70.
- Walker BJ, Abeel T, Shea T, et al. 2014. Pilon: An integrated tool for comprehensive microbial variant detection and genome assembly improvement [J]. *PLoS ONE*, 9 (11): e112963.
- Wallace JG, Rodgers-Melnick E, Buckler ES. 2018. On the road to Breeding 4.0: unraveling the good, the bad, and the boring of crop quantitative genomics [J]. *Annual Review of Genetics*, 52: 421-444.
- Waltz F, Nguyen TT, Arrivé M, et al. 2019. Small is big in *Arabidopsis* mitochondrial ribosome [J]. *Nature Plants*, 5 (1): 106-117.
- Wang C, Tang S, Zhan Q, et al. 2019. Dissecting a heterotic gene through GradedPool-Seq mapping informs a rice-improvement strategy [J]. *Nature communications*, 10 (1): 1-12.
- Wang DL, Zhu J, Li ZKL, et al. 1999. Mapping QTLs with epistatic effects and QTL  $\times$  environment interactions by mixed linear model approaches [J]. *Theoretical & Applied Genetics*, 99 (7-8): 1255-1264.
- Wang ET, Greg K, Pierre B, et al. 2006. Global landscape of recent inferred darwinian selection for *Homo sapiens* [J]. *Proceedings of the National Academy of Sciences*, 103 (1): 135-140.
- Wang GD, Xie HB, Peng MS, et al. 2014. Domestication genomics: evidence from animals [J]. *Annual Review of Animal Biosciences*, 2 (1): 65-84.
- Wang H, Zhang YM, Li X, et al. 2005. Bayesian shrinkage estimation of quantitative trait loci parameters [J]. *Genetics*, 170 (1): 465-480.
- Wang S, Basten CJ, Zeng ZB. 2007. Windows QTL cartographer 2.5 [J]. Department of Statistics, North Carolina State University.
- Wang S, Lv J, Zhang L, et al. 2015. MethyLRAD: A simple and scalable method for genome-wide DNA methylation profiling using methylation-dependent restriction enzymes [J]. *Open Biology*, 5 (11): 150130.
- Wang SB, Wen YJ, Ren WL, et al. 2016. Mapping small-effect and linked quantitative trait loci for complex traits in backcross or DH populations via a multi-locus GWAS methodology [J]. *Scientific Reports*, 6: 29951.
- Wang XT, Cui W, Peng C. 2017. HiTAD: Detecting the structural and functional hierarchies of topologically associating domains from chromatin interactions [J]. *Nucleic Acids Research*, 45 (19): 163.
- Wang Y, Song F, Zhang B, et al. 2018. The 3D Genome Browser: A web-based browser for visualizing 3D genome organization and long-range chromatin interactions [J]. *Genome Biology*, 19 (1): 1-12.
- Warren RL, van der Valk BP, Jones SJM, et al. 2015. LINKS: Scaffolding genome assemblies with kilobase-long nanopore reads [J]. *bioRxiv*, 016519.
- Waterman MS, Perlwitz MD. 1984. Line geometries for sequence comparisons [J]. *Bulletin of Mathematical Biology*, 46 (4): 567-577.
- Weir BS, Cockerham CC. 1984. Estimating  $F$ -statistic for the analysis of population structure [J]. *Evolution*, 38 (6): 1358-1370.
- Weller JI, Soller M, Brody T. 1988. Linkage analysis of quantitative traits in an interspecific cross of tomato (*Lycopersicon esculentum*  $\times$  *Lycopersicon pimpinellifolium*) by means of genetic markers [J]. *Genetics*, 118 (2): 329-339.
- Wen YJ, Zhang H, Ni YL, et al. 2018. Methodological

- implementation of mixed linear models in multi-locus genome-wide association studies [J]. *Briefings in Bioinformatics*, 19 (4): 700-712.
- Wetlaufer DB. 1973. Nucleation, rapid folding, and globular intrachain regions in proteins [J]. *Proceedings of the National Academy of Sciences*, 70 (3): 697-701.
- Wightman B, Ha I, Ruvkun G. 1993. Posttranscriptional regulation of the heterochronic gene *lin-14* by *lin-4* mediates temporal pattern formation in *C. elegans* [J]. *Cell*, 75 (5): 855-862.
- Wilbur WJ, Lipman DJ. 1983. Rapid similarity searches of nucleic acid and protein data banks [J]. *Proceedings of the National Academy of Sciences*, 80 (3): 726-730.
- Williams - Carrier R, Brewster C, Belcher SE, et al. 2019. The *Arabidopsis* pentatricopeptide repeat protein LPE1 and its maize ortholog are required for translation of the chloroplast *psbJ* RNA [J]. *The Plant Journal*, 99 (1): 56-66.
- Wisecaver JH, Borowsky AT, Tzin V, et al. 2017. A global coexpression network approach for connecting genes to specialized metabolic pathways in plants [J]. *Plant Cell*, 29 (5): 944-959.
- Wiuf C, Hein J. 1999. Recombination as a point process along sequences [J]. *Theoretical population biology*, 55 (3): 248-259.
- Wright PR, Richter AS, Papenfort K, et al. 2013. Comparative genomics boosts target prediction for bacterial small RNAs [J]. *Proceedings of the National Academy of Sciences*, 110 (37): 3487-3496.
- Wu HJ, Wang XJ. 2013. Widespread long noncoding RNAs as endogenous target mimics for microRNAs in plants [J]. *Plant Physiology*, 161 (4): 1875-1884.
- Wu HYL, Song G, Walley JW, et al. 2019. The tomato translational landscape revealed by transcriptome assembly and ribosome profiling [J]. *Plant Physiology*, 181 (1): 367-380.
- Xia E, Tong W, Hou Y, et al. 2020. The reference genome of tea plant and resequencing of 81 diverse accessions provide insights into its genome evolution and adaptation [J]. *Molecular plant*, 13 (7): 1013-1026.
- Xiao Z, Huang R, Xing X, et al. 2018. De novo annotation and characterization of the translome with ribosome profiling data [J]. *Nucleic Acids Research*, 46 (10): 61.
- Xu T, Lei L, Shi J, et al. 2018. Characterization of maize translational responses to sugarcane mosaic virus infection [J]. *Virus Research*, 259: 97-107.
- Yang J, Hu C, Hu H, et al. 2008. QTLNetwork: Mapping and visualizing genetic architecture of complex traits in experimental populations [J]. *Bioinformatics*, 24 (5): 721-723.
- Yang J, Zhu J, Williams RW. 2007. Mapping the genetic architecture of complex traits in experimental populations [J]. *Bioinformatics*, 23 (12): 1527-1536.
- Yang K, Wen X, Sablok G. 2018. Method for the large-scale identification of phasiRNAs in *Brachypodium distachyon* [J]. *Methods in Molecular Biology*, 1667: 187.
- Yang W, Feng H, Zhang X, et al. 2020. Crop phenomics and high-throughput phenotyping: Past decades, current challenges, and future perspectives [J]. *Molecular Plant*, 13 (2): 187-214.
- Yang XY, He K, Du G, et al. 2016. Integrated translomics with proteomics to identify novel iron-transporting proteins in *Streptococcus pneumoniae* [J]. *Frontiers in Microbiology*, 7: 78.
- Yang Z, Rannala B. 2012. Molecular phylogenetics: Principles and practice [J]. *Nature Reviews Genetics*, 13 (5): 303-314.
- Ye CY, Chen L, Liu C, et al. 2015. Widespread noncoding circular RNAs in plants [J]. *New Phytologist*, 208 (1): 88-95.
- Ye CY, Tang W, Wu D, et al. 2019. Genomic evidence of human selection on *Vavilovian mimicry* [J]. *Nature Ecology & Evolution*, 3 (10): 1474-1482.
- Ye CY, Xu H, Shen E, et al. 2014. Genome-wide identification of non-coding RNAs interacted with

- microRNAs in soybean [J]. *Frontiers in Plant Science*, 5: 743.
- Ye CY, Zhang X, Chu Q, et al. 2017. Full-length sequence assembly reveals circular RNAs with diverse non-GT/AG splicing signals in rice [J]. *RNA Biology*, 14 (8): 1055-1063.
- Yoli, Shavit, Pietro, et al. 2014. Combining a wavelet change point and the Bayes factor for analysing chromosomal interaction data [J]. *Molecular Biosystems*, 10 (6): 1576-1585.
- Yu J, Pressoir G, Briggs WH, et al. 2006. A unified mixed-model method for association mapping that accounts for multiple levels of relatedness [J]. *Nature Genetics*, 38 (2): 203-208.
- Yu W, He B, Tan K. 2017. Identifying topologically associating domains and subdomains by Gaussian Mixture model and proportion test [J]. *Nature Communications*, 8 (1): 535.
- Yu Z, Yang J, Liu L, et al. 2015. Bacterioplankton community shifts associated with epipelagic and mesopelagic waters in the Southern Ocean [J]. *Scientific Reports*, 5 (1): 1-10.
- Zeiler MD, Fergus R. Visualizing and understanding convolutional networks [C] //European conference on computer vision. Springer, Cham, 2014: 818-833.
- Zeng K, Fu YX, Shi S, et al. 2006. Statistical tests for detecting positive selection by utilizing high-frequency variants [J]. *Genetics*, 174 (3): 1431-1439.
- Zeng ZB. 1994. Precision mapping of quantitative trait loci [J]. *Genetics*, 136 (4): 1457-1468.
- Zeng ZB. 1993. Theoretical basis for separation of multiple linked gene effects in mapping quantitative trait loci [J]. *Proceedings of the National Academy of Sciences*, 90 (23): 10972-10976.
- Zerbino DR, Birney E. 2008. Velvet: Algorithms for de novo short read assembly using de Bruijn graphs [J]. *Genome Research*, 18 (5): 821-829.
- Zhan Y, Mariani L, Barozzi I, et al. 2017. Reciprocal insulation analysis of Hi-C data shows that TADs represent a functionally but not structurally privileged scale in the hierarchical folding of chromosomes [J]. *Genome Research*, 27 (3): 479-490.
- Zhang BH, Pan XP, Cox SB, et al. 2006. Evidence that miRNAs are different from other RNAs [J]. *Cellular and Molecular Life Sciences CMLS*, 63 (2): 246-254.
- Zhang FT, Zhu ZH, Tong XR, et al. 2015. Mixed linear model approaches of association mapping for complex traits based on omics variants [J]. *Scientific Reports*, 5: 10298.
- Zhang G, Guo G, Hu X, et al. 2010. Deep RNA sequencing at single base-pair resolution reveals high complexity of the rice transcriptome [J]. *Genome Research*, 20 (5): 646-654.
- Zhang H, Li F, Jia Y, et al. 2017. Characteristic arrangement of nucleosomes is predictive of chromatin interactions at kilobase resolution [J]. *Nucleic Acids Research*, 45 (22): 12739-12751.
- Zhang H, Wang X, Pan Q, et al. 2019d. QTG-Seq accelerates QTL fine mapping through QTL partitioning and whole-genome sequencing of bulked segregant samples [J]. *Molecular Plant*, 12 (3): 426-437.
- Zhang J, Zhang X, Tang H, et al. 2018. Allele-defined genome of the autopolyploid sugarcane *Saccharum spontaneum* L [J]. *Nature Genetics*, 50 (11): 1565-1573.
- Zhang TQ, Xu ZG, Shang GD, et al. 2019c. A single-cell RNA sequencing profiles the developmental landscape of *Arabidopsis* root [J]. *Molecular Plant*, 12 (5): 648-660.
- Zhang X, Zhang S, Zhao Q, et al. 2019a. Assembly of allele-aware, chromosomal-scale autopolyploid genomes based on Hi-C data [J]. *Nature Plants*, 5 (8): 833-845.
- Zhang X, Zhao H, Gao S, et al. 2011. *Arabidopsis* argonaute 2 regulates innate immunity via miRNA393 mediated silencing of a Golgi-localized SNARE gene, MEMB12 [J]. *Molecular Cell*, 42 (3):

- 356-366.
- Zhang XO, Dong R, Zhang Y, et al. 2016. Diverse alternative back-splicing and alternative splicing landscape of circular RNAs [J]. *Genome Research*, 26 (9): 1277-1287.
- Zhang XO, Wang HB, Zhang Y, et al. 2014. Complementary sequence-mediated exon circularization [J]. *Cell*, 159 (1): 134-147.
- Zhang Y, Zhang XO, Chen T, et al. 2013. Circular intronic long noncoding RNAs [J]. *Molecular Cell*, 51 (6): 792-806.
- Zhang YM, Jia Z, Dunwell JM. 2019b. The applications of new multi-locus GWAS methodologies in the genetic dissection of complex traits [J]. *Frontiers in Plant Science*, 10: 100.
- Zhang YM, Xu S. 2005. A penalized maximum likelihood method for estimating epistatic effects of QTL [J]. *Heredity*, 95 (1): 96-104.
- Zhang YW, Wen YJ, Dunwell JM, et al. 2020. QTL. gCIMapping. GUI v2.0: An R software for detecting small-effect and linked QTLs for quantitative traits in bi-parental segregation populations [J]. *Computational and Structural Biotechnology Journal*, 18: 59-65.
- Zhao D, Hamilton JP, Hardigan M, et al. 2017. Analysis of ribosome-associated mRNAs in rice reveals the importance of transcript size and GC content in translation [J]. *G3: Genes, Genomes, Genetics*, 7 (1): 203-219.
- Zhao J, Qin B, Nikolay R, et al. 2019. Translatomics: The global view of translation [J]. *International Journal of Molecular Sciences*, 20 (1): 212.
- Zhao Q, Feng Q, Lu H, et al. 2018. Pan-genome analysis highlights the extent of genomic variation in cultivated and wild rice [J]. *Nature Genetics*, 50 (2): 278-284.
- Zhao Q, Thuillet AC, Uhlmann NK, et al. 2008. The role of regulatory genes during maize domestication: Evidence from nucleotide polymorphism and gene expression [J]. *Genetics*, 178 (4): 2133-2143.
- Zhao S, Zheng P, Dong S, et al. 2013. Whole-genome sequencing of giant pandas provides insights into demographic history and local adaptation [J]. *Nature Genetics*, 45 (1): 67.
- Zhao YP, Fan G, Yin PP, et al. 2019. Resequencing 545 ginkgo genomes across the world reveals the evolutionary history of the living fossil [J]. *Nature Communications*, 10 (1): 1-10.
- Zheng G, Yang Y, Zhu X, et al. 2012. Genome-wide Association Studies [M]. Boston: Springer.
- Zheng Y, Ji P, Chen S, et al. 2019. Reconstruction of full-length circular RNAs enables isoform-level quantification [J]. *Genome Medicine*, 11 (1): 2.
- Zhou Q, Gallagher R, Ufret-Vincenty R, et al. 2011. Regulation of angiogenesis and choroidal neovascularization by members of microRNA-23~27~24 clusters [J]. *Proceedings of the National Academy of Sciences*, 108 (20): 8287-8292.
- Zhou X, Stephens M. 2012. Genome-wide efficient mixed-model analysis for association studies [J]. *Nature Genetics*, 44 (7): 821-824.
- Zhu Q, Zheng X, Luo J, et al. 2007. Multilocus analysis of nucleotide variation of *Oryza sativa* and its wild relatives: severe bottleneck during domestication of rice [J]. *Molecular Biology and Evolution*, 24 (3): 875-888.
- Zhu QH, Spriggs A, Matthew L, et al. 2008. A diverse set of microRNAs and microRNA-like small RNAs in developing rice grains [J]. *Genome Research*, 18 (9): 1456-1465.
- Zong C, Lu S, Chapman AR, et al. 2012. Genome-wide detection of single-nucleotide and copy-number variations of a single human cell [J]. *Science*, 338 (6114): 1622-1626.
- Zoschke R, Chotewutmontri P, Barkan A. 2017. Translation and co-translational membrane engagement of plastid-encoded chlorophyll-binding proteins are not influenced by chlorophyll availability in maize [J]. *Frontiers in Plant Science*, 8: 385.
- Zuckermandl E. 1962. Molecular disease, evolution, and genetic heterogeneity [J]. *Horizons in Biochemistry*, 189-225.